

===== start networkinfo =====

* Hostname:
 Static hostname: ulefr01-inspiron
 Icon name: computer-laptop
 Chassis: laptop
 Machine ID: 749dc046c6b845ba9ac7cbd27a0ca7ba
 Boot ID: 811b6314763f4279a09935bfc18264dc
 Operating System: Debian GNU/Linux buster/sid
 Kernel: Linux 4.19.0-4-amd64
 Architecture: x86-64
* Run date and time: zo apr 7 12:54:04 CEST 2019

Linux Distro

Linux kernel: Linux 4.19.0-4-amd64 x86_64
Distributor ID: Debian
Description: Debian GNU/Linux buster/sid
Release: stable-updates
Codename: sid

PCI Devices

00:00.0 Host bridge: Intel Corporation Skylake Host Bridge/DRAM Registers (rev 08)
 Subsystem: Dell Xeon E3-1200 v5/E3-1500 v5/6th Gen Core Processor Host Bridge/DRAM Registers
 Flags: bus master, fast devsel, latency 0
 Capabilities: <access denied>
 Kernel driver in use: skl_uncore

00:02.0 VGA compatible controller: Intel Corporation HD Graphics 520 (rev 07) (prog-if 00 [VGA controller])
 Subsystem: Dell Skylake GT2 [HD Graphics 520]
 Flags: bus master, fast devsel, latency 0, IRQ 127
 Memory at de000000 (64-bit, non-prefetchable) [size=16M]
 Memory at b0000000 (64-bit, prefetchable) [size=256M]
 I/O ports at f000 [size=64]
 [virtual] Expansion ROM at 000c0000 [disabled] [size=128K]
 Capabilities: <access denied>
 Kernel driver in use: i915
 Kernel modules: i915

00:14.0 USB controller: Intel Corporation Sunrise Point-LP USB 3.0 xHCI Controller (rev 21) (prog-if 30 [XHCI])
 Subsystem: Dell Sunrise Point-LP USB 3.0 xHCI Controller
 Flags: bus master, medium devsel, latency 0, IRQ 123
 Memory at df310000 (64-bit, non-prefetchable) [size=64K]
 Capabilities: <access denied>
 Kernel driver in use: xhci_hcd
 Kernel modules: xhci_pci

00:14.2 Signal processing controller: Intel Corporation Sunrise Point-LP Thermal subsystem (rev 21)
 Subsystem: Dell Sunrise Point-LP Thermal subsystem
 Flags: fast devsel, IRQ 18

Memory at df330000 (64-bit, non-prefetchable) [size=4K]
Capabilities: <access denied>
Kernel driver in use: intel_pch_thermal
Kernel modules: intel_pch_thermal

00:15.0 Signal processing controller: Intel Corporation Sunrise Point-LP Serial IO I2C Controller #0 (rev 21)

Subsystem: Dell Sunrise Point-LP Serial IO I2C Controller
Flags: bus master, fast devsel, latency 0, IRQ 16
Memory at df32f000 (64-bit, non-prefetchable) [size=4K]
Capabilities: <access denied>
Kernel driver in use: intel-lpss
Kernel modules: intel_lpss_pci

00:15.1 Signal processing controller: Intel Corporation Sunrise Point-LP Serial IO I2C Controller #1 (rev 21)

Subsystem: Dell Sunrise Point-LP Serial IO I2C Controller
Flags: bus master, fast devsel, latency 0, IRQ 17
Memory at df32e000 (64-bit, non-prefetchable) [size=4K]
Capabilities: <access denied>
Kernel driver in use: intel-lpss
Kernel modules: intel_lpss_pci

00:16.0 Communication controller: Intel Corporation Sunrise Point-LP CSME HECI #1 (rev 21)

Flags: bus master, fast devsel, latency 0, IRQ 125
Memory at df32d000 (64-bit, non-prefetchable) [size=4K]
Capabilities: <access denied>
Kernel driver in use: mei_me
Kernel modules: mei_me

00:17.0 SATA controller: Intel Corporation Sunrise Point-LP SATA Controller [AHCI mode] (rev 21) (prog-if 01 [AHCI 1.0])

Subsystem: Dell Sunrise Point-LP SATA Controller [AHCI mode]
Flags: bus master, 66MHz, medium devsel, latency 0, IRQ 124
Memory at df328000 (32-bit, non-prefetchable) [size=8K]
Memory at df32c000 (32-bit, non-prefetchable) [size=256]
I/O ports at f090 [size=8]
I/O ports at f080 [size=4]
I/O ports at f060 [size=32]
Memory at df32b000 (32-bit, non-prefetchable) [size=2K]
Capabilities: <access denied>
Kernel driver in use: ahci
Kernel modules: ahci

00:1c.0 PCI bridge: Intel Corporation Sunrise Point-LP PCI Express Root Port (rev f1) (prog-if 00 [Normal decode])

Flags: bus master, fast devsel, latency 0, IRQ 16
Bus: primary=00, secondary=01, subordinate=01, sec-latency=0
I/O behind bridge: 0000e000-0000efff
Memory behind bridge: df200000-df2fffff
Prefetchable memory behind bridge: 00000000c0000000-00000000cfffffff
Capabilities: <access denied>
Kernel driver in use: pcieport

00:1c.4 PCI bridge: Intel Corporation Sunrise Point-LP PCI Express Root Port #5 (rev f1) (prog-if 00 [Normal decode])

Flags: bus master, fast devsel, latency 0, IRQ 16
Bus: primary=00, secondary=02, subordinate=02, sec-latency=0
Memory behind bridge: df100000-df1fffff
Capabilities: <access denied>

Kernel driver in use: pcieport

00:1c.5 PCI bridge: Intel Corporation Sunrise Point-LP PCI Express Root Port #6 (rev f1) (prog-if 00 [Normal decode])

Flags: bus master, fast devsel, latency 0, IRQ 17

Bus: primary=00, secondary=03, subordinate=03, sec-latency=0

I/O behind bridge: 0000d000-0000dfff

Memory behind bridge: df000000-df0fffff

Prefetchable memory behind bridge: 00000000d0000000-00000000d00fffff

Capabilities: <access denied>

Kernel driver in use: pcieport

00:1f.0 ISA bridge: Intel Corporation Sunrise Point-LP LPC Controller (rev 21)

Subsystem: Dell Sunrise Point-LP LPC Controller

Flags: bus master, medium devsel, latency 0

00:1f.2 Memory controller: Intel Corporation Sunrise Point-LP PMC (rev 21)

Subsystem: Dell Sunrise Point-LP PMC

Flags: fast devsel

Memory at df324000 (32-bit, non-prefetchable) [disabled] [size=16K]

00:1f.3 Audio device: Intel Corporation Sunrise Point-LP HD Audio (rev 21)

Subsystem: Dell Sunrise Point-LP HD Audio

Flags: bus master, fast devsel, latency 32, IRQ 129

Memory at df320000 (64-bit, non-prefetchable) [size=16K]

Memory at df300000 (64-bit, non-prefetchable) [size=64K]

Capabilities: <access denied>

Kernel driver in use: snd_hda_intel

Kernel modules: snd_hda_intel, snd_soc_skl

00:1f.4 SMBus: Intel Corporation Sunrise Point-LP SMBus (rev 21)

Subsystem: Dell Sunrise Point-LP SMBus

Flags: medium devsel, IRQ 16

Memory at df32a000 (64-bit, non-prefetchable) [size=256]

I/O ports at f040 [size=32]

Kernel driver in use: i801_smbus

Kernel modules: i2c_i801

01:00.0 Display controller: Advanced Micro Devices, Inc. [AMD/ATI] Sun XT [Radeon HD 8670A/8670M/8690M / R5 M330 / M430] (rev 81)

Subsystem: Dell Sun XT [Radeon HD 8670A/8670M/8690M / R5 M330 / M430 / Radeon 520 Mobile]

Flags: bus master, fast devsel, latency 0, IRQ 128

Memory at c0000000 (64-bit, prefetchable) [size=256M]

Memory at df200000 (64-bit, non-prefetchable) [size=256K]

I/O ports at e000 [size=256]

Expansion ROM at df240000 [disabled] [size=128K]

Capabilities: <access denied>

Kernel driver in use: radeon

Kernel modules: radeon, amdgpu

02:00.0 Network controller: Intel Corporation Wireless 3160 (rev 83)

Subsystem: Intel Corporation Dual Band Wireless AC 3160

Flags: bus master, fast devsel, latency 0, IRQ 126

Memory at df100000 (64-bit, non-prefetchable) [size=8K]

Capabilities: <access denied>

Kernel driver in use: iwlwifi

Kernel modules: iwlwifi

03:00.0 Ethernet controller: Realtek Semiconductor Co., Ltd. RTL8101/2/6E PCI Express Fast/Gigabit Ethernet controller (rev 07)

Subsystem: Dell RTL810xE PCI Express Fast Ethernet controller
Flags: bus master, fast devsel, latency 0, IRQ 17
I/O ports at d000 [size=256]
Memory at df000000 (64-bit, non-prefetchable) [size=4K]
Memory at d0000000 (64-bit, prefetchable) [size=16K]
Capabilities: <access denied>
Kernel driver in use: r8169
Kernel modules: r8169

/sbin/ifconfig Output

enp3s0: flags=4099<UP,BROADCAST,MULTICAST> mtu 1500
ether f8:ca:b8:47:77:c9 txqueuelen 1000 (Ethernet)
RX packets 0 bytes 0 (0.0 B)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 0 bytes 0 (0.0 B)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

eth0: flags=4098<BROADCAST,MULTICAST> mtu 1500
ether 22:78:f0:ec:b9:4a txqueuelen 1000 (Ethernet)
RX packets 0 bytes 0 (0.0 B)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 0 bytes 0 (0.0 B)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
inet 127.0.0.1 netmask 255.0.0.0
inet6 ::1 prefixlen 128 scopeid 0x10<host>
loop txqueuelen 1000 (Local Loopback)
RX packets 48 bytes 21837 (21.3 KiB)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 48 bytes 21837 (21.3 KiB)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

wlp2s0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
inet 192.168.223.4 netmask 255.255.255.0 broadcast 192.168.223.255
inet6 2a02:1811:9c3d:3900:eee3:3d65:5fd0:172e prefixlen 64 scopeid
0x0<global>
inet6 fe80::88c2:1d3d:340:bf91 prefixlen 64 scopeid 0x20<link>
ether 34:de:1a:c3:53:8e txqueuelen 1000 (Ethernet)
RX packets 1470 bytes 287199 (280.4 KiB)
RX errors 0 dropped 761 overruns 0 frame 0
TX packets 861 bytes 159458 (155.7 KiB)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

Kernel Routing Table

Kernel IP routing table

Destination	Gateway	Genmask	Flags	Metric	Ref	Use	Iface
0.0.0.0	192.168.223.1	0.0.0.0	UG	600	0	0	wlp2s0
169.254.0.0	0.0.0.0	255.255.0.0	U	1000	0	0	wlp2s0
192.168.223.0	0.0.0.0	255.255.255.0	U	600	0	0	wlp2s0

Network Card Drivers Configuration /etc/modprobe.conf

Error /etc/modprobe.conf file not found.

DNS Client /etc/resolv.conf Configuration

```

# Generated by NetworkManager
search telenet.be
nameserver 8.8.8.8
nameserver 208.67.222.222
nameserver 208.67.222.220
# NOTE: the libc resolver may not support more than 3 nameservers.
# The nameservers listed below may not be recognized.
nameserver 2a02:1800:100::45:1
nameserver 2a02:1800:100::45:2
-----
Network Interfaces File
-----
** /etc/network/interfaces **
# This file describes the network interfaces available on your system
# and how to activate them. For more information, see interfaces(5).

source /etc/network/interfaces.d/*

# The loopback network interface
auto lo
iface lo inet loopback
-----
IP address
-----
** ip address **
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group
default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
        valid_lft forever preferred_lft forever
2: enp3s0: <NO-CARRIER,BROADCAST,MULTICAST,UP> mtu 1500 qdisc pfifo_fast state
DOWN group default qlen 1000
    link/ether f8:ca:b8:47:77:c9 brd ff:ff:ff:ff:ff:ff
3: wlp2s0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq state UP group
default qlen 1000
    link/ether 34:de:1a:c3:53:8e brd ff:ff:ff:ff:ff:ff
    inet 192.168.223.4/24 brd 192.168.223.255 scope global noprefixroute wlp2s0
        valid_lft forever preferred_lft forever
    inet6 2a02:1811:9c3d:3900:eee3:3d65:5fd0:172e/64 scope global dynamic
noprefixroute
        valid_lft 569592sec preferred_lft 51192sec
    inet6 fe80::88c2:1d3d:340:bf91/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
4: eth0: <BROADCAST,MULTICAST> mtu 1500 qdisc noop state DOWN group default qlen
1000
    link/ether 22:78:f0:ec:b9:4a brd ff:ff:ff:ff:ff:ff
-----
Network
-----
** Network **
Starting Nmap 7.70 ( https://nmap.org ) at 2019-04-07 12:54 CEST
Nmap scan report for 192.168.223.1
Host is up (0.0055s latency).
Nmap scan report for 192.168.223.4
Host is up (0.00033s latency).
Nmap scan report for 192.168.223.247
Host is up (0.13s latency).
Nmap done: 256 IP addresses (3 hosts up) scanned in 3.49 seconds
-----

```

IP4 Firewall Configuration

```
-----  
Chain INPUT (policy ACCEPT)  
target      prot opt source                destination
```

```
Chain FORWARD (policy ACCEPT)  
target      prot opt source                destination
```

```
Chain OUTPUT (policy ACCEPT)  
target      prot opt source                destination  
-----
```

IP6 Firewall Configuration

```
-----  
Chain INPUT (policy ACCEPT)  
target      prot opt source                destination
```

```
Chain FORWARD (policy ACCEPT)  
target      prot opt source                destination
```

```
Chain OUTPUT (policy ACCEPT)  
target      prot opt source                destination  
-----
```

Network Stats

Ip:

```
Forwarding: 2  
940 total packets received  
0 forwarded  
0 incoming packets discarded  
940 incoming packets delivered  
1959 requests sent out  
125 dropped because of missing route
```

Icmp:

```
558 ICMP messages received  
558 input ICMP message failed  
ICMP input histogram:  
  destination unreachable: 558  
566 ICMP messages sent  
0 ICMP messages failed  
ICMP output histogram:  
  destination unreachable: 566
```

IcmpMsg:

```
InType3: 558  
OutType3: 566
```

Tcp:

```
1050 active connection openings  
0 passive connection openings  
8 failed connection attempts  
0 connection resets received  
3 connections established  
379 segments received  
1462 segments sent out  
2 segments retransmitted  
0 bad segments received  
6 resets sent
```

Udp:

```
313 packets received  
10 packets to unknown port received  
0 packet receive errors  
347 packets sent  
0 receive buffer errors
```

```
0 send buffer errors
IgnoredMulti: 18
UdpLite:
TcpExt:
  7 TCP sockets finished time wait in fast timer
  7 delayed acks sent
  Quick ack mode was activated 5 times
  117 packet headers predicted
  87 acknowledgments not containing data payload received
  24 predicted acknowledgments
  TCPLossProbes: 2
  TCPDSACKOldSent: 5
  1004 connections reset due to unexpected data
  TCPRcvCoalesce: 33
  TCPAutoCorking: 44
  TCPOrigDataSent: 238
  TCPDelivered: 274
IpExt:
  InMcastPkts: 41
  OutMcastPkts: 41
  InBcastPkts: 18
  OutBcastPkts: 18
  InOctets: 121670
  OutOctets: 150344
  InMcastOctets: 15998
  OutMcastOctets: 15860
  InBcastOctets: 1058
  OutBcastOctets: 1058
  InNoECTPkts: 948
===== einde networkinfo =====
===== start inxi =====
System:
  Host: ulefr01-inspiron Kernel: 4.19.0-4-amd64 x86_64 bits: 64
  compiler: gcc v: 8.3.0 Desktop: Gnome 3.30.2 wm: gnome-shell
  dm: GDM3 3.30.2 Distro: Debian GNU/Linux buster/sid
Machine:
  Type: Laptop System: Dell product: Inspiron 5559 v: N/A
  serial: <root required> Chassis: type: 10 serial: <root required>
  Mobo: Dell model: 0K64R6 v: A00 serial: <root required> UEFI: Dell
  v: 1.5.2 date: 07/18/2018
Battery:
  ID-1: BAT0 charge: 28.0 Wh condition: 28.0/41.4 Wh (68%) volts: 16.8/14.8
  model: Panasonic DELL FJCY555 type: Li-ion serial: 3697 status: Full
CPU:
  Topology: Dual Core model: Intel Core i7-6500U bits: 64 type: MT MCP
  arch: Skylake rev: 3 L2 cache: 4096 KiB
  flags: lm nx pae sse sse2 sse3 sse4_1 sse4_2 ssse3 vmx bogomips: 20736
  Speed: 800 MHz min/max: 400/3100 MHz Core speeds (MHz): 1: 800 2: 800
  3: 800 4: 800
Graphics:
  Device-1: Intel HD Graphics 520 vendor: Dell Skylake GT2 driver: i915
  v: kernel bus ID: 00:02.0 chip ID: 8086:1916
  Device-2: AMD Sun XT [Radeon HD 8670A/8670M/8690M / R5 M330 / M430]
  vendor: Dell driver: radeon v: kernel bus ID: 01:00.0 chip ID: 1002:6660
  Display: wayland server: X.Org 1.20.3 driver: radeon
  compositor: gnome-shell resolution: 1920x1080~60Hz
  OpenGL: renderer: Mesa DRI Intel HD Graphics 520 (Skylake GT2)
  v: 4.5 Mesa 18.3.4 compat-v: 3.0 direct render: Yes
Audio:
  Device-1: Intel Sunrise Point-LP HD Audio vendor: Dell
  driver: snd_hda_intel v: kernel bus ID: 00:1f.3 chip ID: 8086:9d70
```

```

Sound Server: ALSA v: k4.19.0-4-amd64
Network:
Device-1: Intel Wireless 3160 driver: iwlwifi v: kernel port: e000
bus ID: 02:00.0 chip ID: 8086:08b3
IF: wlp2s0 state: up mac: 34:de:1a:c3:53:8e
Device-2: Realtek RTL8101/2/6E PCI Express Fast/Gigabit Ethernet
vendor: Dell RTL810xE driver: r8169 v: kernel port: d000 bus ID: 03:00.0
chip ID: 10ec:8136
IF: enp3s0 state: down mac: f8:ca:b8:47:77:c9
IF-ID-1: eth0 state: down mac: 22:78:f0:ec:b9:4a
Drives:
Local Storage: total: 3.18 TiB used: 123.18 GiB (3.8%)
ID-1: /dev/sda vendor: Crucial model: CT500MX500SSD1 size: 465.76 GiB
speed: 6.0 Gb/s serial: 1804E10B93FE rev: 010 temp: 34 C scheme: GPT
ID-2: /dev/sdb vendor: Seagate model: ST2000LM003 HN-M201RAD
size: 1.82 TiB speed: 6.0 Gb/s rotation: 5400 rpm serial: S37PJ90G940842
rev: 0001 temp: 24 C scheme: GPT
ID-3: /dev/sdc type: USB vendor: Crucial model: CT1000MX500SSD1
size: 931.51 GiB serial: 1851E1DF6909 scheme: GPT
Partition:
ID-1: / size: 49.21 GiB used: 20.76 GiB (42.2%) fs: ext4 dev: /dev/dm-0
uuid: e0755e86-3e04-46c0-b458-9875f6e17e31
ID-2: /backup size: 196.86 GiB used: 6.97 GiB (3.5%) fs: ext4
dev: /dev/dm-1 uuid: f121a365-44da-46f1-bd6e-eed4f26109fe
ID-3: /boot size: 1003.9 MiB used: 236.9 MiB (23.6%) fs: ext4
dev: /dev/dm-3 uuid: d913b76e-d297-4daa-9582-a74219cc0e32
ID-4: /boot/efi size: 499.0 MiB used: 42.5 MiB (8.5%) fs: vfat
dev: /dev/sda1 uuid: 2CA5-2C9F
ID-5: /data size: 98.43 GiB used: 36.81 GiB (37.4%) fs: ext4
dev: /dev/dm-5 uuid: 42c365f9-38a0-46c6-8129-c32849f8b834
ID-6: /data/Decrypt size: 98.43 GiB used: 36.81 GiB (37.4%) fs: fuse.encfs
source: ERR-102 uuid: N/A
ID-7: /home size: 49.21 GiB used: 21.56 GiB (43.8%) fs: ext4
dev: /dev/dm-4 uuid: b2f585bf-72a0-46cb-abfe-d8b715180f11
Sensors:
System Temperatures: cpu: 48.0 C mobo: 43.0 C sodimm: 39.0 C gpu: radeon
temp: 48 C
Fan Speeds (RPM): cpu: 0
Info:
Processes: 228 Uptime: 1m Memory: 15.56 GiB used: 3.06 GiB (19.7%)
Init: systemd v: 241 runlevel: 5 Compilers: gcc: 8.3.0 alt: 6/7/8
Shell: inxi v: 3.0.32-00 running in: fish inxi: 3.0.32
===== end inxi =====
===== start firmware =====
-- fwupdmgr get-devices --show-all-devices
Inspiron 5559 System Firmware
DeviceId:          97bfbf1d2b2e70f312c84b780bfac4d6ac5ea665
Guid:              b1cc193d-85c8-4ebd-b8a2-d8e94336a12c
Plugin:            uefi
Flags:              internal|updatable|require-ac|registered|needs-reboot
Version:           0.1.5.2
VersionLowest:    0.1.5.2
Icon:               computer
Created:           2019-04-07

CT500MX500SSD1
DeviceId:          5dbeb140337f610d54913c0f43d15fdaa0eafb51
Guid:              b77c6ec6-d187-5029-9d3c-e3196465fbee <- IDE\
CT500MX500SSD1_____M3CR010
Guid:              4a382f63-5319-5261-b05d-4c598d8bcd8b <- IDE\
0CT500MX500SSD1_____

```



```

Guid: ea728598-6b78-58ff-ad8a-e82eb571af3b <- CT500MX500SSD1
Serial: 1804E10B93FE
Summary: ATA Drive
Plugin: ata
Flags: internal|updatable|require-ac|registered|needs-reboot
Version: M3CR010
Icon: drive-harddisk
Created: 2019-04-07

ST2000LM003 HN-M201RAD
DeviceId: e421b2fc248391f6fe3e55d8bb3c9043be068bd0
Guid: 3223106e-c1a5-5c49-9917-13a58f1941d4 <- IDE\
ST2000LM003_HN-M201RAD_____2BE10001
Guid: 148a1e19-99ff-54ec-b9c5-dcc59edcc81c <- IDE\
0ST2000LM003_HN-M201RAD_____
Guid: 6ad24191-4be8-5592-8a3f-52cb0d5d1dba <- ST2000LM003 HN-
M201RAD
Serial: S37PJ90G940842
Summary: ATA Drive
Plugin: ata
Flags: internal|updatable|require-ac|registered|needs-reboot
Version: 2BE10001
Icon: drive-harddisk
Created: 2019-04-07

Skylake GT2 [HD Graphics 520]
DeviceId: bbbf1ce3d1cf15550c3760b354592040292415bb
Guid: 2f7ef0d3-15f0-571c-b852-de72f1c7c730 <- PCI\
VEN_8086&DEV_1916&REV_07
Guid: bdc90a0-e7cd-5d77-995d-d79b7183aa29 <- PCI\
VEN_8086&DEV_1916
Guid: afb8c4ec-b9a5-5cd3-aaef-cc976ce37eb8 <- PCI\VEN_8086
Plugin: udev
Flags: internal|registered
Vendor: Intel Corporation
VendorId: PCI:0x8086
Version: 07
Icon: audio-card
Created: 2019-04-07

Sun XT [Radeon HD 8670A/8670M/8690M / R5 M330 / M430 / Radeon 520 Mobile]
DeviceId: 71b677ca0f1bc2c5b804fa1d59e52064ce589293
Guid: f75ed2f8-9489-547f-bd77-ad0f84ffe229 <- PCI\
VEN_1002&DEV_6660&REV_81
Guid: 22695b32-ef22-5f57-9f3b-c2f0ee9eb562 <- PCI\
VEN_1002&DEV_6660
Guid: d74a94e0-49c7-5572-b21e-dfcf5801fcf8 <- PCI\VEN_1002
Plugin: udev
Flags: internal|registered
Vendor: Advanced Micro Devices, Inc. [AMD/ATI]
VendorId: PCI:0x1002
Version: 81
Icon: audio-card
Created: 2019-04-07

CT1000MX500SSD1
DeviceId: 158a97018b8e8188ea26669816b5034029e16b89
Guid: 8f937a4f-235f-5429-8bf5-1f010c1aea7b <- IDE\
CT1000MX500SSD1_____M3CR023
Guid: 674967d4-351e-5c01-adab-4c86476ae9a7 <- IDE\
0CT1000MX500SSD1_____

```

Guid: a67e50ae-23af-5093-85b2-ff4cc7abc5ec <- CT1000MX500SSD1
Serial: 1851E1DF6909
Summary: ATA Drive
Plugin: ata
Flags: updatable|require-ac|registered|needs-reboot
Version: M3CR023
Icon: drive-harddisk
Created: 2019-04-07

-- fwupdmgr get-remotes

Remote ID: lvfs-testing
Title: Linux Vendor Firmware Service (testing)
Type: download
Keyring: gpg
Enabled: false
Priority: 2
Filename: /var/lib/fwupd/remotes.d/lvfs-testing/metadata.xml.gz
Filename Signature: /var/lib/fwupd/remotes.d/lvfs-testing/metadata.xml.gz.asc
Metadata URI: https://cdn.fwupd.org/downloads/firmware-testing.xml.gz
Metadata URI Signature: https://cdn.fwupd.org/downloads/firmware-testing.xml.gz.asc
Report URI: https://fwupd.org/lvfs/firmware/report

Remote ID: lvfs
Title: Linux Vendor Firmware Service
Type: download
Keyring: gpg
Enabled: true
Checksum: d6da0dad5ee0e96abc25c2f34e02fdafdc6683fb069e15e5e94781ee39921992
Age: 1,79d
Priority: 1
Filename: /var/lib/fwupd/remotes.d/lvfs/metadata.xml.gz
Filename Signature: /var/lib/fwupd/remotes.d/lvfs/metadata.xml.gz.asc
Metadata URI: https://cdn.fwupd.org/downloads/firmware.xml.gz
Metadata URI Signature: https://cdn.fwupd.org/downloads/firmware.xml.gz.asc
Report URI: https://fwupd.org/lvfs/firmware/report

Remote ID: fwupd
Title: Core
Type: local
Keyring: none
Enabled: true
Filename: /usr/share/fwupd/remotes.d/fwupd/metadata.xml

Remote ID: vendor
Title: Vendor
Type: local
Keyring: none
Enabled: false
Filename: /usr/share/fwupd/remotes.d/vendor/vendor.xml.gz

Remote ID: vendor-directory
Title: Vendor (Automatic)
Type: directory
Keyring: none
Enabled: false
Filename: /usr/share/fwupd/remotes.d/vendor/firmware

-- fwupdmgr get-topology --show-all-devices

M-bM-^WM-^K

```

M-bM-^TM-^M-bM-^TM-^@ Inspiron 5559 System Firmware
97bfbf1d2b2e70f312c84b780bfac4d6ac5ea665
M-bM-^TM-^M-bM-^TM-^@ CT500MX500SSD1
5dbeb140337f610d54913c0f43d15fdaa0eafb51
M-bM-^TM-^M-bM-^TM-^@ ST2000LM003 HN-M201RAD
e421b2fc248391f6fe3e55ddb3c9043be068bd0
M-bM-^TM-^M-bM-^TM-^@ Skylake GT2 [HD Graphics 520]
bbbf1ce3d1cf15550c3760b354592040292415bb
M-bM-^TM-^M-bM-^TM-^@ Sun XT [Radeon HD 8670A/8670M/8690M / R5 M330 / M430 /
Radeon 520 Mobile] 71b677ca0f1bc2c5b804fa1d59e52064ce589293
M-bM-^TM-^M-bM-^TM-^@ CT1000MX500SSD1
158a97018b8e8188ea26669816b5034029e16b89
-- fwupdmgr get-history
No history
-- fwupdmgr get-updates
===== end firmware =====
===== start systemd =====
systemd total time
Startup finished in 21.187s (firmware) + 3.885s (loader) + 4.512s (kernel) +
7.966s (userspace) = 37.551s
graphical.target reached after 7.296s in userspace
systemd times
    4.162s postgresql@11-main.service
    1.342s user@1000.service
    836ms udisks2.service
    780ms redis-server.service
    758ms systemd-journal-flush.service
    748ms dev-mapper-myssd\x2droot.device
    691ms lvm2-pvscan@8:22.service
    687ms lvm2-pvscan@8:2.service
    550ms systemd-fsck@dev-disk-by\x2duuid-d913b76e\x2dd297\x2d4daa\
x2d9582\x2da74219cc0e32.service
    436ms systemd-logind.service
    395ms upower.service
    354ms fwupd.service
    320ms systemd-fsck@dev-disk-by\x2duuid-f121a365\x2d44da\x2d46f1\
x2dbd6e\x2ddeed4f26109fe.service
    268ms systemd-fsck@dev-disk-by\x2duuid-42c365f9\x2d38a0\x2d46c6\
x2d8129\x2dc32849f8b834.service
    268ms backup-swapfile.swap
    244ms data.mount
    211ms systemd-timesyncd.service
    210ms systemd-hostnamed.service
    206ms accounts-daemon.service
    188ms systemd-fsck@dev-disk-by\x2duuid-b2f585bf\x2d72a0\x2d46cb\
x2dabfe\x2dd8b715180f11.service
    187ms lvm2-pvscan@8:34.service
    160ms tmp.mount
    159ms systemd-journald.service
    155ms geoclue.service
    153ms colord.service
    146ms avahi-daemon.service
    145ms keyboard-setup.service
    137ms NetworkManager.service
    134ms home.mount
    131ms lm-sensors.service
    131ms udhcpd.service
    128ms gdm.service
    109ms lvm2-monitor.service
    92ms wpa_supplicant.service
    88ms boot.mount

```

```
87ms rtkit-daemon.service
85ms atd.service
76ms systemd-modules-load.service
76ms rsyslog.service
74ms packagekit.service
62ms systemd-udev-trigger.service
59ms tftpd-hpa.service
53ms binfmt-support.service
50ms dictd.service
43ms console-setup.service
43ms systemd-tmpfiles-setup.service
42ms backup.mount
40ms systemd-udev.service
35ms hddtemp.service
27ms alsa-restore.service
25ms boot-efi.mount
25ms systemd-rfkill.service
21ms systemd-sysctl.service
21ms polkit.service
20ms systemd-remount-fs.service
20ms systemd-sysusers.service
17ms systemd-tmpfiles-setup-dev.service
14ms rc-local.service
13ms systemd-user-sessions.service
13ms sys-fs-fuse-connections.mount
13ms dev-mqueue.mount
12ms sysstat.service
11ms var-tmp.mount
11ms systemd-backlight@backlight:intel_backlight.service
11ms user-runtime-dir@1000.service
11ms inetd.service
10ms dev-hugepages.mount
10ms ufw.service
10ms systemd-random-seed.service
10ms systemd-update-utmp.service
9ms systemd-update-utmp-runlevel.service
9ms proc-sys-fs-binfmt_misc.mount
8ms blk-availability.service
7ms kmod-static-nodes.service
6ms sys-kernel-debug.mount
3ms postgresql.service
```

```
sudo journalctl -b -p3
```

```
-- Logs begin at Sun 2019-03-03 11:51:11 CET, end at Sun 2019-04-07 12:54:29 CEST. --
```

```
apr 07 12:53:13 ulefr01-inspiron gnome-session-binary[818]: Unrecoverable failure in required component org.gnome.Shell.desktop
```

```
apr 07 12:53:27 ulefr01-inspiron /hp-systray[1541]: [1541]: error: Failed to create /home/ulefr01/.hplip
```

```
systemctl failed
```

```
0 loaded units listed. Pass --all to see loaded but inactive units, too.
```

```
To show all installed unit files use 'systemctl list-unit-files'.
```

```
systemd-analyze critical-chain --no-pager
```

```
The time after the unit is active or started is printed after the "@" character.
```

```
The time the unit takes to start is printed after the "+" character.
```

```
graphical.target @7.296s
```

```
M-bM-^TM-^TM-bM-^TM-^@multi-user.target @7.296s
```

```
  M-bM-^TM-^TM-bM-^TM-^@postgresql.service @7.292s +3ms
```

```
    M-bM-^TM-^TM-bM-^TM-^@postgresql@11-main.service @3.129s +4.162s
```

```
      M-bM-^TM-^TM-bM-^TM-^@network.target @3.114s
```

```
        M-bM-^TM-^TM-bM-^TM-^@NetworkManager.service @2.976s +137ms
```

```

M-bM-^TM-^TM-bM-^TM-^@dbus.service @2.971s
M-bM-^TM-^TM-bM-^TM-^@basic.target @2.962s
M-bM-^TM-^TM-bM-^TM-^@paths.target @2.962s
M-bM-^TM-^TM-bM-^TM-^@cups.path @2.962s
M-bM-^TM-^TM-bM-^TM-^@sysinit.target @2.958s
M-bM-^TM-^TM-bM-^TM-^@systemd-timesyncd.service @2.747s
+211ms
M-bM-^TM-^TM-bM-^TM-^@systemd-tmpfiles-setup.service
@2.700s +43ms
M-bM-^TM-^TM-bM-^TM-^@local-fs.target @2.698s
M-bM-^TM-^TM-bM-^TM-^@boot-efi.mount @2.672s +25ms
M-bM-^TM-^TM-bM-^TM-^@boot.mount @2.534s +88ms
M-bM-^TM-^TM-bM-^TM-^@systemd-fsck@dev-disk-by\
x2duuid-d913b76e\x2dd297\x2d4daa\x2d9582\x2da74219cc0e32.service @1.975s +550ms
M-bM-^TM-^TM-bM-^TM-^@dev-disk-by\x2duuid-
d913b76e\x2dd297\x2d4daa\x2d9582\x2da74219cc0e32.device @1.949s
systemd-analyze security

```

UNIT	EXPOSURE	PREDICATE	HAPPY
NetworkManager.service	7.6	EXPOSED	M-pM-^_M-^YM-^A
accounts-daemon.service	9.5	UNSAFE	M-pM-^_M-^XM-(
acpid.service	9.5	UNSAFE	M-pM-^_M-^XM-(
alsa-state.service	9.5	UNSAFE	M-pM-^_M-^XM-(
anacron.service	9.5	UNSAFE	M-pM-^_M-^XM-(
atd.service	9.5	UNSAFE	M-pM-^_M-^XM-(
avahi-daemon.service	9.5	UNSAFE	M-pM-^_M-^XM-(
colord.service	8.7	EXPOSED	M-pM-^_M-^YM-^A
cron.service	9.5	UNSAFE	M-pM-^_M-^XM-(
cups-browsed.service	9.5	UNSAFE	M-pM-^_M-^XM-(
cups.service	9.5	UNSAFE	M-pM-^_M-^XM-(
dbus.service	9.5	UNSAFE	M-pM-^_M-^XM-(
dictd.service	9.5	UNSAFE	M-pM-^_M-^XM-(
dm-event.service	9.5	UNSAFE	M-pM-^_M-^XM-(
emergency.service	9.5	UNSAFE	M-pM-^_M-^XM-(
fwupd.service	7.3	MEDIUM	M-pM-^_M-^XM-^P
gdm.service	9.7	UNSAFE	M-pM-^_M-^XM-(
geoclue.service	7.3	MEDIUM	M-pM-^_M-^XM-^P
getty@tty1.service	9.5	UNSAFE	M-pM-^_M-^XM-(
haveged.service	5.6	MEDIUM	M-pM-^_M-^XM-^P
hddtemp.service	9.5	UNSAFE	M-pM-^_M-^XM-(
inetd.service	9.5	UNSAFE	M-pM-^_M-^XM-(
irqbalance.service	5.9	MEDIUM	M-pM-^_M-^XM-^P
lvm2-lvmpolld.service	9.5	UNSAFE	M-pM-^_M-^XM-(
packagekit.service	9.5	UNSAFE	M-pM-^_M-^XM-(
pcscd.service	9.5	UNSAFE	M-pM-^_M-^XM-(
polkit.service	9.5	UNSAFE	M-pM-^_M-^XM-(
postgresql@11-main.service	9.5	UNSAFE	M-pM-^_M-^XM-(
rc-local.service	9.5	UNSAFE	M-pM-^_M-^XM-(
redis-server.service	3.6	OK	M-pM-^_M-^YM-^B
rescue.service	9.5	UNSAFE	M-pM-^_M-^XM-(
rsync.service	9.5	UNSAFE	M-pM-^_M-^XM-(
rsyslog.service	9.5	UNSAFE	M-pM-^_M-^XM-(
rtkit-daemon.service	6.9	MEDIUM	M-pM-^_M-^XM-^P
systemd-ask-password-console.service	9.3	UNSAFE	M-pM-^_M-^XM-(
systemd-ask-password-wall.service	9.3	UNSAFE	M-pM-^_M-^XM-(
systemd-fsckd.service	9.5	UNSAFE	M-pM-^_M-^XM-(
systemd-hostnamed.service	1.2	OK	M-pM-^_M-^YM-^B
systemd-initctl.service	9.3	UNSAFE	M-pM-^_M-^XM-(
systemd-journald.service	4.3	OK	M-pM-^_M-^YM-^B
systemd-logind.service	4.1	OK	M-pM-^_M-^YM-^B
systemd-networkd.service	2.8	OK	M-pM-^_M-^YM-^B
systemd-rfkill.service	9.3	UNSAFE	M-pM-^_M-^XM-(

```

systemd-timesyncd.service 2.0 OK M-pM-^_M-^YM-^B
systemd-udev.service 8.3 EXPOSED M-pM-^_M-^YM-^A
tftpd-hpa.service 9.5 UNSAFE M-pM-^_M-^XM-(
udhcpd.service 9.5 UNSAFE M-pM-^_M-^XM-(
udisks2.service 9.5 UNSAFE M-pM-^_M-^XM-(
unattended-upgrades.service 9.5 UNSAFE M-pM-^_M-^XM-(
upower.service 7.2 MEDIUM M-pM-^_M-^XM-^P
usbmuxd.service 9.5 UNSAFE M-pM-^_M-^XM-(
user@1000.service 9.1 UNSAFE M-pM-^_M-^XM-(
uuidd.service 9.1 UNSAFE M-pM-^_M-^XM-(
wpa_supplicant.service 9.5 UNSAFE M-pM-^_M-^XM-(

```

```

systemctl list-timers
NEXT LEFT LAST
PASSED UNIT ACTIVATES
Sun 2019-04-07 13:07:34 CEST 13min left n/a
n/a systemd-tmpfiles-clean.timer systemd-tmpfiles-clean.service
Sun 2019-04-07 13:34:44 CEST 40min left Sun 2019-04-07 12:53:12 CEST
1min 16s ago anacron.timer anacron.service
Mon 2019-04-08 00:00:00 CEST 11h left Sun 2019-04-07 08:40:29 CEST
4h 14min ago logrotate.timer logrotate.service
Mon 2019-04-08 00:00:00 CEST 11h left Sun 2019-04-07 08:40:29 CEST
4h 14min ago man-db.timer man-db.service
Mon 2019-04-08 05:38:10 CEST 16h left Sun 2019-04-07 08:40:29 CEST
4h 14min ago apt-daily.timer apt-daily.service
Wed 2019-05-01 00:00:00 CEST 3 weeks 2 days left Mon 2019-04-01 07:19:07 CEST
6 days ago fstrim.timer fstrim.service

```

6 timers listed.

Pass --all to see loaded but inactive timers, too.

==== end systemd =====

==== start systems =====

systems list-unit-files

UNIT FILE	STATE
proc-sys-fs-binfmt_misc.automount	static
-.mount	generated
backup.mount	generated
backup2.mount	generated
boot-efi.mount	generated
boot.mount	generated
data.mount	generated
dev-hugepages.mount	static
dev-mqueue.mount	static
home.mount	generated
lacie1.mount	generated
lacie2.mount	generated
lacie3.mount	generated
media-cdrom0.mount	generated
media-ulefr01-WinC.mount	generated
media-ulefr01-WinD.mount	generated
media-ulefr01-WinE.mount	generated
myexthd1_2.mount	generated
myexthd1_3.mount	generated
myexthd1_4.mount	generated
myexthd1_EFI.mount	generated
mymmc1.mount	generated
myssd2_data2.mount	generated
myssd2_EFI.mount	generated
proc-sys-fs-binfmt_misc.mount	static
stick32GB.mount	generated
sys-fs-fuse-connections.mount	static
sys-kernel-config.mount	static

sys-kernel-debug.mount	static
systemrescue.mount	generated
tmp.mount	generated
usb16gb.mount	generated
var-tmp.mount	generated
acpid.path	enabled
cups.path	enabled
systemd-ask-password-console.path	static
systemd-ask-password-wall.path	static
session-2.scope	transient
accounts-daemon.service	enabled
acpid.service	enabled
alsa-restore.service	static
alsa-state.service	static
alsa-utils.service	masked
anacron.service	enabled
apparmor.service	disabled
apt-daily-upgrade.service	static
apt-daily.service	static
atd.service	enabled
autovt@.service	enabled
avahi-daemon.service	enabled
binfmt-support.service	enabled
blk-availability.service	enabled
bluetooth.service	disabled
bootlogd.service	masked
bootlogs.service	masked
bootmisc.service	masked
checkfs.service	masked
checkroot-bootclean.service	masked
checkroot.service	masked
clean-mount-point@.service	static
colord.service	static
configure-printer@.service	static
console-getty.service	disabled
console-setup.service	enabled
container-getty@.service	static
cron.service	enabled
cryptdisks-early.service	masked
cryptdisks.service	masked
cups-browsed.service	enabled
cups.service	enabled
dbus-fi.w1.wpa_supplicant1.service	enabled
dbus-org.freedesktop.Avahi.service	enabled
dbus-org.freedesktop.hostname1.service	static
dbus-org.freedesktop.locale1.service	static
dbus-org.freedesktop.login1.service	static
dbus-org.freedesktop.nm-dispatcher.service	enabled
dbus-org.freedesktop.timedate1.service	static
dbus.service	static
debug-shell.service	disabled
dictd.service	generated
display-manager.service	static
dm-event.service	static
emergency.service	static
exim4.service	generated
fstrim.service	static
fwupd-offline-update.service	static
fwupd.service	static
gdm.service	static
gdm3.service	static

geoclue.service	static
getty-static.service	static
getty@.service	enabled
halt.service	masked
haveged.service	enabled
hddtemp.service	generated
hostname.service	masked
hwclock.service	masked
ifup@.service	static
ifupdown-pre.service	static
ifupdown-wait-online.service	disabled
iio-sensor-proxy.service	static
inetd.service	enabled
initrd-cleanup.service	static
initrd-parse-etc.service	static
initrd-switch-root.service	static
initrd-udevadm-cleanup-db.service	static
irqbalance.service	enabled
keyboard-setup.service	enabled
killprocs.service	masked
kmod-static-nodes.service	static
kmod.service	static
lightdm.service	static
lm-sensors.service	enabled
logrotate.service	static
lvm2-lvmpolld.service	static
lvm2-monitor.service	enabled
lvm2-pvscan@.service	static
lvm2.service	masked
man-db.service	static
mdadm-grow-continue@.service	static
mdadm-last-resort@.service	static
mdadm-shutdown.service	disabled
mdadm-waitidle.service	masked
mdadm.service	masked
mdcheck_continue.service	static
mdcheck_start.service	static
mdmon@.service	static
mdmonitor-oneshot.service	static
mdmonitor.service	static
minissdpd.service	disabled
module-init-tools.service	static
motd.service	masked
mountall-bootclean.service	masked
mountall.service	masked
mountdevsubfs.service	masked
mountkernfs.service	masked
mountnfs-bootclean.service	masked
mountnfs.service	masked
network-manager.service	enabled
networking.service	disabled
NetworkManager-dispatcher.service	enabled
NetworkManager-wait-online.service	disabled
NetworkManager.service	enabled
nftables.service	disabled
openbsd-inetd.service	enabled
packagekit-offline-update.service	static
packagekit.service	static
pcscd.service	indirect
polkit.service	static
postgresql.service	enabled

postgresql@.service	indirect
pppd-dns.service	disabled
procps.service	static
quotaon.service	static
rc-local.service	enabled-runtime
rc.local.service	enabled-runtime
rc.service	masked
rcS.service	masked
realmd.service	static
reboot.service	masked
redis-server.service	enabled
redis-server@.service	disabled
redis.service	enabled
rescue.service	static
rmnologin.service	masked
rsync.service	enabled
rsyslog.service	enabled
rtkit-daemon.service	enabled
saned.service	masked
saned@.service	indirect
sendsigs.service	masked
serial-getty@.service	disabled
single.service	masked
smartd.service	disabled
smartmontools.service	disabled
speech-dispatcher.service	disabled
speech-dispatcherd.service	disabled
stop-bootlogd-single.service	masked
stop-bootlogd.service	masked
sudo.service	masked
syslog.service	enabled
sysstat.service	enabled
system-update-cleanup.service	static
systemd-ask-password-console.service	static
systemd-ask-password-wall.service	static
systemd-backlight@.service	static
systemd-binfmt.service	static
systemd-bless-boot.service	static
systemd-boot-check-no-failures.service	disabled
systemd-exit.service	static
systemd-fsck-root.service	enabled-runtime
systemd-fsck@.service	static
systemd-fsckd.service	static
systemd-halt.service	static
systemd-hibernate-resume@.service	static
systemd-hibernate.service	static
systemd-hostnamed.service	static
systemd-hwdb-update.service	static
systemd-hybrid-sleep.service	static
systemd-initctl.service	static
systemd-journal-flush.service	static
systemd-journald.service	static
systemd-kexec.service	static
systemd-locale.service	static
systemd-logind.service	static
systemd-machine-id-commit.service	static
systemd-modules-load.service	static
systemd-networkd-wait-online.service	disabled
systemd-networkd.service	disabled
systemd-poweroff.service	static
systemd-quotacheck.service	static

systemd-random-seed.service	static
systemd-reboot.service	static
systemd-remount-fs.service	static
systemd-resolved.service	disabled
systemd-rfkill.service	static
systemd-suspend-then-hibernate.service	static
systemd-suspend.service	static
systemd-sysctl.service	static
systemd-sysusers.service	static
systemd-time-wait-sync.service	disabled
systemd-timedated.service	static
systemd-timesyncd.service	enabled
systemd-tmpfiles-clean.service	static
systemd-tmpfiles-setup-dev.service	static
systemd-tmpfiles-setup.service	static
systemd-udev-settle.service	static
systemd-udev-trigger.service	static
systemd-udev.service	static
systemd-update-utmp-runlevel.service	static
systemd-update-utmp.service	static
systemd-user-sessions.service	static
systemd-volatile-root.service	static
tftpd-hpa.service	generated
udev.service	static
udhcpd.service	generated
udisks2.service	enabled
ufw.service	enabled
umountfs.service	masked
umountnfs.service	masked
umountroot.service	masked
unattended-upgrades.service	enabled
upower.service	disabled
urandom.service	static
usbmuxd.service	static
user-runtime-dir@.service	static
user@.service	static
uidd.service	indirect
wacom-inputattach@.service	static
wpa_supplicant-nl80211@.service	disabled
wpa_supplicant-wired@.service	disabled
wpa_supplicant.service	enabled
wpa_supplicant@.service	disabled
x11-common.service	masked
zram-setup@.service	static
machine.slice	static
user.slice	static
acpid.socket	enabled
avahi-daemon.socket	enabled
cups.socket	enabled
dbus.socket	static
dm-event.socket	enabled
lvm2-lvmpolld.socket	enabled
pcscd.socket	enabled
saned.socket	disabled
syslog.socket	static
systemd-fsckd.socket	static
systemd-initctl.socket	static
systemd-journald-audit.socket	static
systemd-journald-dev-log.socket	static
systemd-journald.socket	static
systemd-networkd.socket	disabled

systemd-rfkill.socket	static
systemd-udev-control.socket	static
systemd-udev-kernel.socket	static
uuid.socket	enabled
backup-swapfile.swap	generated
basic.target	static
bluetooth.target	static
boot-complete.target	static
cryptsetup-pre.target	static
cryptsetup.target	static
ctrl-alt-del.target	disabled
default.target	static
emergency.target	static
exit.target	disabled
final.target	static
getty-pre.target	static
getty.target	static
graphical.target	static
halt.target	disabled
hibernate.target	static
hybrid-sleep.target	static
initrd-fs.target	static
initrd-root-device.target	static
initrd-root-fs.target	static
initrd-switch-root.target	static
initrd.target	static
kexec.target	disabled
local-fs-pre.target	static
local-fs.target	static
multi-user.target	static
network-online.target	static
network-pre.target	static
network.target	static
nss-lookup.target	static
nss-user-lookup.target	static
paths.target	static
poweroff.target	disabled
printer.target	static
reboot.target	disabled
remote-cryptsetup.target	disabled
remote-fs-pre.target	static
remote-fs.target	enabled
rescue.target	static
rpcbind.target	static
runlevel0.target	disabled
runlevel1.target	static
runlevel2.target	static
runlevel3.target	static
runlevel4.target	static
runlevel5.target	static
runlevel6.target	disabled
shutdown.target	static
sigpwr.target	static
sleep.target	static
slices.target	static
smartcard.target	static
sockets.target	static
sound.target	static
suspend-then-hibernate.target	static
suspend.target	static
swap.target	static

sysinit.target	static
system-update-pre.target	static
system-update.target	static
time-sync.target	static
timers.target	static
umount.target	static
anacron.timer	enabled
apt-daily-upgrade.timer	disabled
apt-daily.timer	enabled
fstrim.timer	enabled
logrotate.timer	enabled
man-db.timer	enabled
mdadm-last-resort@.timer	static
mdcheck_continue.timer	static
mdcheck_start.timer	disabled
mdmonitor-oneshot.timer	disabled
systemd-tmpfiles-clean.timer	static

350 unit files listed.

systems enabled services	
acpid.path	enabled
cups.path	enabled
accounts-daemon.service	enabled
acpid.service	enabled
anacron.service	enabled
atd.service	enabled
autovt@.service	enabled
avahi-daemon.service	enabled
binfmt-support.service	enabled
blk-availability.service	enabled
console-setup.service	enabled
cron.service	enabled
cups-browsed.service	enabled
cups.service	enabled
dbus-fi.w1.wpa_supplicant1.service	enabled
dbus-org.freedesktop.Avahi.service	enabled
dbus-org.freedesktop.nm-dispatcher.service	enabled
getty@.service	enabled
haveged.service	enabled
inetd.service	enabled
irqbalance.service	enabled
keyboard-setup.service	enabled
lm-sensors.service	enabled
lvm2-monitor.service	enabled
network-manager.service	enabled
NetworkManager-dispatcher.service	enabled
NetworkManager.service	enabled
openbsd-inetd.service	enabled
postgresql.service	enabled
rc-local.service	enabled-runtime
rc.local.service	enabled-runtime
redis-server.service	enabled
redis.service	enabled
rsync.service	enabled
rsyslog.service	enabled
rtkit-daemon.service	enabled
syslog.service	enabled
sysstat.service	enabled
systemd-fsck-root.service	enabled-runtime
systemd-timesyncd.service	enabled
udisks2.service	enabled

ufw.service	enabled
unattended-upgrades.service	enabled
wpa_supplicant.service	enabled
acpid.socket	enabled
avahi-daemon.socket	enabled
cups.socket	enabled
dm-event.socket	enabled
lvm2-lvmpolld.socket	enabled
pcscd.socket	enabled
uuidd.socket	enabled
remote-fs.target	enabled
anacron.timer	enabled
apt-daily.timer	enabled
fstrim.timer	enabled
logrotate.timer	enabled
man-db.timer	enabled
systems disabled services	
apparmor.service	disabled
bluetooth.service	disabled
console-getty.service	disabled
debug-shell.service	disabled
ifupdown-wait-online.service	disabled
mdadm-shutdown.service	disabled
minissdpd.service	disabled
networking.service	disabled
NetworkManager-wait-online.service	disabled
nftables.service	disabled
pppd-dns.service	disabled
redis-server@.service	disabled
serial-getty@.service	disabled
smartd.service	disabled
smartmontools.service	disabled
speech-dispatcher.service	disabled
speech-dispatcherd.service	disabled
systemd-boot-check-no-failures.service	disabled
systemd-networkd-wait-online.service	disabled
systemd-networkd.service	disabled
systemd-resolved.service	disabled
systemd-time-wait-sync.service	disabled
upower.service	disabled
wpa_supplicant-nl80211@.service	disabled
wpa_supplicant-wired@.service	disabled
wpa_supplicant@.service	disabled
saned.socket	disabled
systemd-networkd.socket	disabled
ctrl-alt-del.target	disabled
exit.target	disabled
halt.target	disabled
kexec.target	disabled
poweroff.target	disabled
reboot.target	disabled
remote-cryptsetup.target	disabled
runlevel0.target	disabled
runlevel6.target	disabled
apt-daily-upgrade.timer	disabled
mdcheck_start.timer	disabled
mdmonitor-oneshot.timer	disabled
systems static services	
proc-sys-fs-binfmt_misc.automount	static
dev-hugepages.mount	static
dev-mqueue.mount	static

proc-sys-fs-binfmt_misc.mount	static
sys-fs-fuse-connections.mount	static
sys-kernel-config.mount	static
sys-kernel-debug.mount	static
systemd-ask-password-console.path	static
systemd-ask-password-wall.path	static
alsa-restore.service	static
alsa-state.service	static
apt-daily-upgrade.service	static
apt-daily.service	static
clean-mount-point@.service	static
colord.service	static
configure-printer@.service	static
container-getty@.service	static
dbus-org.freedesktop.hostname1.service	static
dbus-org.freedesktop.locale1.service	static
dbus-org.freedesktop.login1.service	static
dbus-org.freedesktop.timedate1.service	static
dbus.service	static
display-manager.service	static
dm-event.service	static
emergency.service	static
fstrim.service	static
fwupd-offline-update.service	static
fwupd.service	static
gdm.service	static
gdm3.service	static
geoclue.service	static
getty-static.service	static
ifup@.service	static
ifupdown-pre.service	static
iio-sensor-proxy.service	static
initrd-cleanup.service	static
initrd-parse-etc.service	static
initrd-switch-root.service	static
initrd-udevadm-cleanup-db.service	static
kmod-static-nodes.service	static
kmod.service	static
lightdm.service	static
logrotate.service	static
lvm2-lvmpolld.service	static
lvm2-pvscan@.service	static
man-db.service	static
mdadm-grow-continue@.service	static
mdadm-last-resort@.service	static
mdcheck_continue.service	static
mdcheck_start.service	static
mdmon@.service	static
mdmonitor-oneshot.service	static
mdmonitor.service	static
module-init-tools.service	static
packagekit-offline-update.service	static
packagekit.service	static
polkit.service	static
procps.service	static
quotaon.service	static
realmd.service	static
rescue.service	static
system-update-cleanup.service	static
systemd-ask-password-console.service	static
systemd-ask-password-wall.service	static

systemd-backlight@.service	static
systemd-binfmt.service	static
systemd-bless-boot.service	static
systemd-exit.service	static
systemd-fsck@.service	static
systemd-fsckd.service	static
systemd-halt.service	static
systemd-hibernate-resume@.service	static
systemd-hibernate.service	static
systemd-hostnamed.service	static
systemd-hwdb-update.service	static
systemd-hybrid-sleep.service	static
systemd-initctl.service	static
systemd-journal-flush.service	static
systemd-journald.service	static
systemd-kexec.service	static
systemd-locale.service	static
systemd-logind.service	static
systemd-machine-id-commit.service	static
systemd-modules-load.service	static
systemd-poweroff.service	static
systemd-quotacheck.service	static
systemd-random-seed.service	static
systemd-reboot.service	static
systemd-remount-fs.service	static
systemd-rfkill.service	static
systemd-suspend-then-hibernate.service	static
systemd-suspend.service	static
systemd-sysctl.service	static
systemd-sysusers.service	static
systemd-timedated.service	static
systemd-tmpfiles-clean.service	static
systemd-tmpfiles-setup-dev.service	static
systemd-tmpfiles-setup.service	static
systemd-udev-settle.service	static
systemd-udev-trigger.service	static
systemd-udev.service	static
systemd-update-utmp-runlevel.service	static
systemd-update-utmp.service	static
systemd-user-sessions.service	static
systemd-volatile-root.service	static
udev.service	static
urandom.service	static
usbmuxd.service	static
user-runtime-dir@.service	static
user@.service	static
wacom-inputattach@.service	static
zram-setup@.service	static
machine.slice	static
user.slice	static
dbus.socket	static
syslog.socket	static
systemd-fsckd.socket	static
systemd-initctl.socket	static
systemd-journald-audit.socket	static
systemd-journald-dev-log.socket	static
systemd-journald.socket	static
systemd-rfkill.socket	static
systemd-udev-control.socket	static
systemd-udev-kernel.socket	static
basic.target	static

bluetooth.target	static
boot-complete.target	static
cryptsetup-pre.target	static
cryptsetup.target	static
default.target	static
emergency.target	static
final.target	static
getty-pre.target	static
getty.target	static
graphical.target	static
hibernate.target	static
hybrid-sleep.target	static
initrd-fs.target	static
initrd-root-device.target	static
initrd-root-fs.target	static
initrd-switch-root.target	static
initrd.target	static
local-fs-pre.target	static
local-fs.target	static
multi-user.target	static
network-online.target	static
network-pre.target	static
network.target	static
nss-lookup.target	static
nss-user-lookup.target	static
paths.target	static
printer.target	static
remote-fs-pre.target	static
rescue.target	static
rpcbind.target	static
runlevel1.target	static
runlevel2.target	static
runlevel3.target	static
runlevel4.target	static
runlevel5.target	static
shutdown.target	static
sigpwr.target	static
sleep.target	static
slices.target	static
smartcard.target	static
sockets.target	static
sound.target	static
suspend-then-hibernate.target	static
suspend.target	static
swap.target	static
sysinit.target	static
system-update-pre.target	static
system-update.target	static
time-sync.target	static
timers.target	static
umount.target	static
mdadm-last-resort@.timer	static
mdcheck_continue.timer	static
systemd-tmpfiles-clean.timer	static
systems masked services	
alsa-utils.service	masked
bootlogd.service	masked
bootlogs.service	masked
bootmisc.service	masked
checkfs.service	masked
checkroot-bootclean.service	masked


```

checkroot.service                masked
cryptdisks-early.service         masked
cryptdisks.service               masked
halt.service                      masked
hostname.service                 masked
hwclock.service                  masked
killprocs.service                masked
lvm2.service                      masked
mdadm-waitidle.service           masked
mdadm.service                    masked
motd.service                     masked
mountall-bootclean.service       masked
mountall.service                 masked
mountdevsubfs.service            masked
mountkernfs.service              masked
mountnfs-bootclean.service       masked
mountnfs.service                 masked
rc.service                       masked
rcS.service                      masked
reboot.service                   masked
rmnologin.service                masked
saned.service                     masked
sendsigs.service                 masked
single.service                   masked
stop-bootlogd-single.service     masked
stop-bootlogd.service            masked
sudo.service                     masked
umountfs.service                 masked
umountnfs.service                masked
umountroot.service               masked
x11-common.service               masked
systems indirect services
pcscd.service                    indirect
postgresql@.service              indirect
saned@.service                    indirect
uidd.service                      indirect
systems services
===== end systems =====
The Network Configuration Info Written To
/home/ulefr01/outputs/networkinfo_20190407.out. Please email this file to
ulefr01@gmail.com.
===== clean je systeem =====
Bestandssysteem      Grootte Gebruikt Besch Geb% Aangekoppeld op
/dev/mapper/myssd-root 50G      22G   28G  44% /
Bestandssysteem      Grootte Gebruikt Besch Geb% Aangekoppeld op
/dev/mapper/myssd-root 50G      21G   28G  43% /
===== einde clean.sh =====
===== start LVM backup on  zo apr 7 12:54:24 CEST 2019 =====
=====
Volume group "mydell" successfully backed up.
Volume group "myssd" successfully backed up.
Volume group "myssd2" successfully backed up.
backup logical volumes done on /etc/lvm/backup/mydell_20190407-12h54
scan logical volumes :
ACTIVE      '/dev/myssd2/boot' [1,00 GiB] inherit
ACTIVE      '/dev/myssd2/root' [50,00 GiB] inherit
ACTIVE      '/dev/myssd2/home' [50,00 GiB] inherit
ACTIVE      '/dev/myssd2/data' [100,00 GiB] inherit
ACTIVE      '/dev/mydell/backup' [200,00 GiB] inherit
ACTIVE      '/dev/mydell/backup2' [720,00 GiB] inherit
ACTIVE      '/dev/myssd/boot' [1,00 GiB] inherit

```

```
ACTIVE          '/dev/myssd/root' [50,00 GiB] inherit
ACTIVE          '/dev/myssd/home' [50,00 GiB] inherit
ACTIVE          '/dev/myssd/data' [100,00 GiB] inherit
```

do not check recover logical volumes !

```
use command to restore this by command = vgcfstore mydell -v -f
/etc/lvm/backup/mydell_20190407-12h54
```

```
===== end LVM backup =====
```

```
=====
systemd total time
```

```
Startup finished in 21.187s (firmware) + 3.885s (loader) + 4.512s (kernel) +
7.966s (userspace) = 37.551s
```

```
graphical.target reached after 7.296s in userspace
```

```
systemd times
```

```
4.162s postgresql@11-main.service
1.342s user@1000.service
836ms udisks2.service
780ms redis-server.service
758ms systemd-journal-flush.service
748ms dev-mapper-myssd\x2droot.device
691ms lvm2-pvscan@8:22.service
687ms lvm2-pvscan@8:2.service
550ms systemd-fsck@dev-disk-by\x2duuid-d913b76e\x2dd297\x2d4daa\
x2d9582\x2da74219cc0e32.service
436ms systemd-logind.service
395ms upower.service
354ms fwupd.service
320ms systemd-fsck@dev-disk-by\x2duuid-f121a365\x2d44da\x2d46f1\
x2dbd6e\x2ddeed4f26109fe.service
268ms systemd-fsck@dev-disk-by\x2duuid-42c365f9\x2d38a0\x2d46c6\
x2d8129\x2dc32849f8b834.service
268ms backup-swapfile.swap
244ms data.mount
211ms systemd-timesyncd.service
210ms systemd-hostnamed.service
206ms accounts-daemon.service
188ms systemd-fsck@dev-disk-by\x2duuid-b2f585bf\x2d72a0\x2d46cb\
x2dabfe\x2dd8b715180f11.service
187ms lvm2-pvscan@8:34.service
160ms tmp.mount
159ms systemd-journald.service
155ms geoclue.service
153ms colord.service
146ms avahi-daemon.service
145ms keyboard-setup.service
137ms NetworkManager.service
134ms home.mount
131ms lm-sensors.service
131ms udhcpd.service
128ms gdm.service
109ms lvm2-monitor.service
92ms wpa_supplicant.service
88ms boot.mount
87ms rtkit-daemon.service
85ms atd.service
76ms systemd-modules-load.service
76ms rsyslog.service
74ms packagekit.service
62ms systemd-udev-trigger.service
59ms tftpd-hpa.service
53ms binfmt-support.service
50ms dictd.service
```

```
43ms console-setup.service
43ms systemd-tmpfiles-setup.service
42ms backup.mount
40ms systemd-udev.service
35ms hddtemp.service
27ms alsa-restore.service
25ms boot-efi.mount
25ms systemd-rfkill.service
21ms systemd-sysctl.service
21ms polkit.service
20ms systemd-remount-fs.service
20ms systemd-sysusers.service
17ms systemd-tmpfiles-setup-dev.service
14ms rc-local.service
13ms systemd-user-sessions.service
13ms sys-fs-fuse-connections.mount
13ms dev-mqueue.mount
12ms sysstat.service
11ms var-tmp.mount
11ms systemd-backlight@backlight:intel_backlight.service
11ms user-runtime-dir@1000.service
11ms inetd.service
10ms dev-hugepages.mount
10ms ufw.service
10ms systemd-random-seed.service
10ms systemd-update-utmp.service
 9ms systemd-update-utmp-runlevel.service
 9ms proc-sys-fs-binfmt_misc.mount
 8ms blk-availability.service
 7ms kmod-static-nodes.service
 6ms sys-kernel-debug.mount
 3ms postgresql.service
```

```
sudo journalctl -b -p3
```

```
-- Logs begin at Sun 2019-03-03 11:51:11 CET, end at Sun 2019-04-07 12:54:30 CEST. --
```

```
apr 07 12:53:13 ulefr01-inspiron gnome-session-binary[818]: Unrecoverable failure in required component org.gnome.Shell.desktop
```

```
apr 07 12:53:27 ulefr01-inspiron /hp-systray[1541]: [1541]: error: Failed to create /home/ulefr01/.hplip
```

```
systemctl failed
```

```
0 loaded units listed. Pass --all to see loaded but inactive units, too.
```

```
To show all installed unit files use 'systemctl list-unit-files'.
```

```
systemd-analyze critical-chain
```

```
The time after the unit is active or started is printed after the "@" character.
```

```
The time the unit takes to start is printed after the "+" character.
```

```
graphical.target @7.296s
```

```
M-bM-^TM-^TM-bM-^TM-^@multi-user.target @7.296s
```

```
  M-bM-^TM-^TM-bM-^TM-^@postgresql.service @7.292s +3ms
```

```
    M-bM-^TM-^TM-bM-^TM-^@postgresql@11-main.service @3.129s +4.162s
```

```
      M-bM-^TM-^TM-bM-^TM-^@network.target @3.114s
```

```
        M-bM-^TM-^TM-bM-^TM-^@NetworkManager.service @2.976s +137ms
```

```
          M-bM-^TM-^TM-bM-^TM-^@dbus.service @2.971s
```

```
            M-bM-^TM-^TM-bM-^TM-^@basic.target @2.962s
```

```
              M-bM-^TM-^TM-bM-^TM-^@paths.target @2.962s
```

```
                M-bM-^TM-^TM-bM-^TM-^@cups.path @2.962s
```

```
                  M-bM-^TM-^TM-bM-^TM-^@sysinit.target @2.958s
```

```
                    M-bM-^TM-^TM-bM-^TM-^@systemd-timesyncd.service @2.747s
```

```
+211ms
```

```
                      M-bM-^TM-^TM-bM-^TM-^@systemd-tmpfiles-setup.service
```

```
@2.700s +43ms
```

```

M-bM-^TM-^TM-bM-^TM-^@local-fs.target @2.698s
M-bM-^TM-^TM-bM-^TM-^@boot-efi.mount @2.672s +25ms
M-bM-^TM-^TM-bM-^TM-^@boot.mount @2.534s +88ms
M-bM-^TM-^TM-bM-^TM-^@systemd-fsck@dev-disk-by\
x2duuid-d913b76e\x2dd297\x2d4daa\x2d9582\x2da74219cc0e32.service @1.975s +550ms
M-bM-^TM-^TM-bM-^TM-^@dev-disk-by\x2duuid-
d913b76e\x2dd297\x2d4daa\x2d9582\x2da74219cc0e32.device @1.949s
systemd-analyze security

```

UNIT	EXPOSURE	PREDICATE	HAPPY
NetworkManager.service	7.6	EXPOSED	M-pM-^_M-^YM-^A
accounts-daemon.service	9.5	UNSAFE	M-pM-^_M-^XM-(
acpid.service	9.5	UNSAFE	M-pM-^_M-^XM-(
alsa-state.service	9.5	UNSAFE	M-pM-^_M-^XM-(
anacron.service	9.5	UNSAFE	M-pM-^_M-^XM-(
atd.service	9.5	UNSAFE	M-pM-^_M-^XM-(
avahi-daemon.service	9.5	UNSAFE	M-pM-^_M-^XM-(
colord.service	8.7	EXPOSED	M-pM-^_M-^YM-^A
cron.service	9.5	UNSAFE	M-pM-^_M-^XM-(
cups-browsed.service	9.5	UNSAFE	M-pM-^_M-^XM-(
cups.service	9.5	UNSAFE	M-pM-^_M-^XM-(
dbus.service	9.5	UNSAFE	M-pM-^_M-^XM-(
dictd.service	9.5	UNSAFE	M-pM-^_M-^XM-(
dm-event.service	9.5	UNSAFE	M-pM-^_M-^XM-(
emergency.service	9.5	UNSAFE	M-pM-^_M-^XM-(
fwupd.service	7.3	MEDIUM	M-pM-^_M-^XM-^P
gdm.service	9.7	UNSAFE	M-pM-^_M-^XM-(
geoclue.service	7.3	MEDIUM	M-pM-^_M-^XM-^P
getty@tty1.service	9.5	UNSAFE	M-pM-^_M-^XM-(
haveged.service	5.6	MEDIUM	M-pM-^_M-^XM-^P
hddtemp.service	9.5	UNSAFE	M-pM-^_M-^XM-(
inetd.service	9.5	UNSAFE	M-pM-^_M-^XM-(
irqbalance.service	5.9	MEDIUM	M-pM-^_M-^XM-^P
lvm2-lvmpolld.service	9.5	UNSAFE	M-pM-^_M-^XM-(
packagekit.service	9.5	UNSAFE	M-pM-^_M-^XM-(
pcscd.service	9.5	UNSAFE	M-pM-^_M-^XM-(
polkit.service	9.5	UNSAFE	M-pM-^_M-^XM-(
postgresql@11-main.service	9.5	UNSAFE	M-pM-^_M-^XM-(
rc-local.service	9.5	UNSAFE	M-pM-^_M-^XM-(
redis-server.service	3.6	OK	M-pM-^_M-^YM-^B
rescue.service	9.5	UNSAFE	M-pM-^_M-^XM-(
rsync.service	9.5	UNSAFE	M-pM-^_M-^XM-(
rsyslog.service	9.5	UNSAFE	M-pM-^_M-^XM-(
rtkit-daemon.service	6.9	MEDIUM	M-pM-^_M-^XM-^P
systemd-ask-password-console.service	9.3	UNSAFE	M-pM-^_M-^XM-(
systemd-ask-password-wall.service	9.3	UNSAFE	M-pM-^_M-^XM-(
systemd-fsckd.service	9.5	UNSAFE	M-pM-^_M-^XM-(
systemd-hostnamed.service	1.2	OK	M-pM-^_M-^YM-^B
systemd-initctl.service	9.3	UNSAFE	M-pM-^_M-^XM-(
systemd-journald.service	4.3	OK	M-pM-^_M-^YM-^B
systemd-logind.service	4.1	OK	M-pM-^_M-^YM-^B
systemd-networkd.service	2.8	OK	M-pM-^_M-^YM-^B
systemd-rfkill.service	9.3	UNSAFE	M-pM-^_M-^XM-(
systemd-timesyncd.service	2.0	OK	M-pM-^_M-^YM-^B
systemd-udevd.service	8.3	EXPOSED	M-pM-^_M-^YM-^A
tftpd-hpa.service	9.5	UNSAFE	M-pM-^_M-^XM-(
udhcpd.service	9.5	UNSAFE	M-pM-^_M-^XM-(
udisks2.service	9.5	UNSAFE	M-pM-^_M-^XM-(
unattended-upgrades.service	9.5	UNSAFE	M-pM-^_M-^XM-(
upower.service	7.2	MEDIUM	M-pM-^_M-^XM-^P
usbmuxd.service	9.5	UNSAFE	M-pM-^_M-^XM-(
user@1000.service	9.1	UNSAFE	M-pM-^_M-^XM-(

```

uuidd.service          9.1 UNSAFE    M-pM-^_M-^XM-(
wpa_supplicant.service 9.5 UNSAFE    M-pM-^_M-^XM-(
systemctl list-timers
NEXT                  LEFT                  LAST
PASSED              UNIT                  ACTIVATES
Sun 2019-04-07 13:07:34 CEST 13min left          n/a
n/a                  systemd-tmpfiles-clean.timer  systemd-tmpfiles-clean.service
Sun 2019-04-07 13:34:44 CEST 40min left          Sun 2019-04-07 12:53:12 CEST
1min 17s ago anacron.timer  anacron.service
Mon 2019-04-08 00:00:00 CEST 11h left            Sun 2019-04-07 08:40:29 CEST
4h 14min ago logrotate.timer  logrotate.service
Mon 2019-04-08 00:00:00 CEST 11h left            Sun 2019-04-07 08:40:29 CEST
4h 14min ago man-db.timer      man-db.service
Mon 2019-04-08 05:38:10 CEST 16h left            Sun 2019-04-07 08:40:29 CEST
4h 14min ago apt-daily.timer    apt-daily.service
Wed 2019-05-01 00:00:00 CEST 3 weeks 2 days left Mon 2019-04-01 07:19:07 CEST
6 days ago fstrim.timer          fstrim.service

```

6 timers listed.

Pass --all to see loaded but inactive timers, too.

systemd end =====

systems services

systems enabled services

```

acpid.path            enabled
cups.path             enabled
accounts-daemon.service  enabled
acpid.service        enabled
anacron.service      enabled
atd.service          enabled
autovt@.service      enabled
avahi-daemon.service  enabled
binfmt-support.service  enabled
blk-availability.service  enabled
console-setup.service  enabled
cron.service         enabled
cups-browsed.service  enabled
cups.service         enabled
dbus-fi.w1.wpa_supplicant1.service  enabled
dbus-org.freedesktop.Avahi.service  enabled
dbus-org.freedesktop.nm-dispatcher.service  enabled
getty@.service       enabled
haveged.service      enabled
inetd.service        enabled
irqbalance.service  enabled
keyboard-setup.service  enabled
lm-sensors.service  enabled
lvm2-monitor.service  enabled
network-manager.service  enabled
NetworkManager-dispatcher.service  enabled
NetworkManager.service  enabled
openbsd-inetd.service  enabled
postgresql.service  enabled
rc-local.service     enabled-runtime
rc.local.service     enabled-runtime
redis-server.service  enabled
redis.service        enabled
rsync.service        enabled
rsyslog.service      enabled
rtkit-daemon.service  enabled
syslog.service       enabled
sysstat.service      enabled

```

systemd-fsck-root.service	enabled-runtime
systemd-timesyncd.service	enabled
udisks2.service	enabled
ufw.service	enabled
unattended-upgrades.service	enabled
wpa_supplicant.service	enabled
acpid.socket	enabled
avahi-daemon.socket	enabled
cups.socket	enabled
dm-event.socket	enabled
lvm2-lvmpolld.socket	enabled
pcscd.socket	enabled
uuidd.socket	enabled
remote-fs.target	enabled
anacron.timer	enabled
apt-daily.timer	enabled
fstrim.timer	enabled
logrotate.timer	enabled
man-db.timer	enabled
systems disabled services	
apparmor.service	disabled
bluetooth.service	disabled
console-getty.service	disabled
debug-shell.service	disabled
ifupdown-wait-online.service	disabled
mdadm-shutdown.service	disabled
minissdpd.service	disabled
networking.service	disabled
NetworkManager-wait-online.service	disabled
nftables.service	disabled
pppd-dns.service	disabled
redis-server@.service	disabled
serial-getty@.service	disabled
smartd.service	disabled
smartmontools.service	disabled
speech-dispatcher.service	disabled
speech-dispatcherd.service	disabled
systemd-boot-check-no-failures.service	disabled
systemd-networkd-wait-online.service	disabled
systemd-networkd.service	disabled
systemd-resolved.service	disabled
systemd-time-wait-sync.service	disabled
upower.service	disabled
wpa_supplicant-nl80211@.service	disabled
wpa_supplicant-wired@.service	disabled
wpa_supplicant@.service	disabled
saned.socket	disabled
systemd-networkd.socket	disabled
ctrl-alt-del.target	disabled
exit.target	disabled
halt.target	disabled
kexec.target	disabled
poweroff.target	disabled
reboot.target	disabled
remote-cryptsetup.target	disabled
runlevel0.target	disabled
runlevel6.target	disabled
apt-daily-upgrade.timer	disabled
mdcheck_start.timer	disabled
mdmonitor-oneshot.timer	disabled
systems static services	

proc-sys-fs-binfmt_misc.automount	static
dev-hugepages.mount	static
dev-mqueue.mount	static
proc-sys-fs-binfmt_misc.mount	static
sys-fs-fuse-connections.mount	static
sys-kernel-config.mount	static
sys-kernel-debug.mount	static
systemd-ask-password-console.path	static
systemd-ask-password-wall.path	static
alsa-restore.service	static
alsa-state.service	static
apt-daily-upgrade.service	static
apt-daily.service	static
clean-mount-point@.service	static
colord.service	static
configure-printer@.service	static
container-getty@.service	static
dbus-org.freedesktop.hostname1.service	static
dbus-org.freedesktop.locale1.service	static
dbus-org.freedesktop.login1.service	static
dbus-org.freedesktop.timedate1.service	static
dbus.service	static
display-manager.service	static
dm-event.service	static
emergency.service	static
fstrim.service	static
fwupd-offline-update.service	static
fwupd.service	static
gdm.service	static
gdm3.service	static
geoclue.service	static
getty-static.service	static
ifup@.service	static
ifupdown-pre.service	static
iio-sensor-proxy.service	static
initrd-cleanup.service	static
initrd-parse-etc.service	static
initrd-switch-root.service	static
initrd-udevadm-cleanup-db.service	static
kmod-static-nodes.service	static
kmod.service	static
lightdm.service	static
logrotate.service	static
lvm2-lvmpolld.service	static
lvm2-pvscan@.service	static
man-db.service	static
mdadm-grow-continue@.service	static
mdadm-last-resort@.service	static
mdcheck_continue.service	static
mdcheck_start.service	static
mdmon@.service	static
mdmonitor-oneshot.service	static
mdmonitor.service	static
module-init-tools.service	static
packagekit-offline-update.service	static
packagekit.service	static
polkit.service	static
procps.service	static
quotaon.service	static
realmd.service	static
rescue.service	static

system-update-cleanup.service	static
systemd-ask-password-console.service	static
systemd-ask-password-wall.service	static
systemd-backlight@.service	static
systemd-binfmt.service	static
systemd-bless-boot.service	static
systemd-exit.service	static
systemd-fsck@.service	static
systemd-fsckd.service	static
systemd-halt.service	static
systemd-hibernate-resume@.service	static
systemd-hibernate.service	static
systemd-hostnamed.service	static
systemd-hwdb-update.service	static
systemd-hybrid-sleep.service	static
systemd-initctl.service	static
systemd-journal-flush.service	static
systemd-journald.service	static
systemd-kexec.service	static
systemd-locale.service	static
systemd-logind.service	static
systemd-machine-id-commit.service	static
systemd-modules-load.service	static
systemd-poweroff.service	static
systemd-quotacheck.service	static
systemd-random-seed.service	static
systemd-reboot.service	static
systemd-remount-fs.service	static
systemd-rfkill.service	static
systemd-suspend-then-hibernate.service	static
systemd-suspend.service	static
systemd-sysctl.service	static
systemd-sysusers.service	static
systemd-timedated.service	static
systemd-tmpfiles-clean.service	static
systemd-tmpfiles-setup-dev.service	static
systemd-tmpfiles-setup.service	static
systemd-udev-settle.service	static
systemd-udev-trigger.service	static
systemd-udevd.service	static
systemd-update-utmp-runlevel.service	static
systemd-update-utmp.service	static
systemd-user-sessions.service	static
systemd-volatile-root.service	static
udev.service	static
urandom.service	static
usbmuxd.service	static
user-runtime-dir@.service	static
user@.service	static
wacom-inputattach@.service	static
zram-setup@.service	static
machine.slice	static
user.slice	static
dbus.socket	static
syslog.socket	static
systemd-fsckd.socket	static
systemd-initctl.socket	static
systemd-journald-audit.socket	static
systemd-journald-dev-log.socket	static
systemd-journald.socket	static
systemd-rfkill.socket	static

systemd-udev-control.socket	static
systemd-udev-kernel.socket	static
basic.target	static
bluetooth.target	static
boot-complete.target	static
cryptsetup-pre.target	static
cryptsetup.target	static
default.target	static
emergency.target	static
final.target	static
getty-pre.target	static
getty.target	static
graphical.target	static
hibernate.target	static
hybrid-sleep.target	static
initrd-fs.target	static
initrd-root-device.target	static
initrd-root-fs.target	static
initrd-switch-root.target	static
initrd.target	static
local-fs-pre.target	static
local-fs.target	static
multi-user.target	static
network-online.target	static
network-pre.target	static
network.target	static
nss-lookup.target	static
nss-user-lookup.target	static
paths.target	static
printer.target	static
remote-fs-pre.target	static
rescue.target	static
rpcbind.target	static
runlevel1.target	static
runlevel2.target	static
runlevel3.target	static
runlevel4.target	static
runlevel5.target	static
shutdown.target	static
sigpwr.target	static
sleep.target	static
slices.target	static
smartcard.target	static
sockets.target	static
sound.target	static
suspend-then-hibernate.target	static
suspend.target	static
swap.target	static
sysinit.target	static
system-update-pre.target	static
system-update.target	static
time-sync.target	static
timers.target	static
umount.target	static
mdadm-last-resort@.timer	static
mdcheck_continue.timer	static
systemd-tmpfiles-clean.timer	static
systems masked services	
alsa-utils.service	masked
bootlogd.service	masked
bootlogs.service	masked

```

bootmisc.service                masked
checkfs.service                 masked
checkroot-bootclean.service    masked
checkroot.service              masked
cryptdisks-early.service       masked
cryptdisks.service             masked
halt.service                    masked
hostname.service               masked
hwclock.service                masked
killprocs.service              masked
lvm2.service                    masked
mdadm-waitidle.service         masked
mdadm.service                  masked
motd.service                   masked
mountall-bootclean.service     masked
mountall.service               masked
mountdevsubfs.service          masked
mountkernfs.service            masked
mountnfs-bootclean.service     masked
mountnfs.service               masked
rc.service                     masked
rcS.service                    masked
reboot.service                 masked
rmnologin.service             masked
saned.service                  masked
sendsigs.service              masked
single.service                 masked
stop-bootlogd-single.service   masked
stop-bootlogd.service          masked
sudo.service                   masked
umountfs.service               masked
umountnfs.service              masked
umountroot.service             masked
x11-common.service             masked
systems indirect services
pcscd.service                  indirect
postgresql@.service           indirect
saned@.service                 indirect
uuidd.service                  indirect
systems services
systems end =====
apt-get distributie upgrade
=====
apt-get distributie upgrade
=====
Pakketlijsten worden ingelezen...
Boom van vereisten wordt opgebouwd...
De statusinformatie wordt gelezen...
Opwaardering wordt doorgerekend...
0 opgewaardeerd, 0 nieuw geM-CM-/nstalleerd, 0 te verwijderen en 0 niet
opgewaardeerd.
einde apt-get distrubutie upgrade
=====
einde apt-get distrubutie upgrade
=====
===== start debconf =====
sudo debconf-show adduser
  adduser/title:
  adduser/homedir-permission: true
  adduser/homedir-changed: true
sudo debconf-show apparmor

```

```
apparmor/homedirs:
sudo debconf-show ca-certificates
ca-certificates/title:
ca-certificates/trust_new_crts: yes
ca-certificates/new_crts:
ca-certificates/enable_crts: mozilla/ACCVRAIZ1.crt, mozilla/AC_RAIZ_FNMT-
RCM.crt, mozilla/Actalis_Authentication_Root_CA.crt,
mozilla/AddTrust_External_Root.crt, mozilla/AffirmTrust_Commercial.crt, mozilla/
AffirmTrust_Networking.crt, mozilla/AffirmTrust_Premium.crt,
mozilla/AffirmTrust_Premium_ECC.crt, mozilla/Amazon_Root_CA_1.crt,
mozilla/Amazon_Root_CA_2.crt, mozilla/Amazon_Root_CA_3.crt,
mozilla/Amazon_Root_CA_4.crt, mozilla/Atos_TrustedRoot_2011.crt,
mozilla/Autoridad_de_Certificacion_Firmaprofesional_CIF_A62634068.crt,
mozilla/Baltimore_CyberTrust_Root.crt, mozilla/Buypass_Class_2_Root_CA.crt,
mozilla/Buypass_Class_3_Root_CA.crt, mozilla/CA_Disig_Root_R2.crt,
mozilla/Certigna.crt, mozilla/Certinomis_-_Root_CA.crt,
mozilla/Certplus_Class_2_Primary_CA.crt, mozilla/certSIGN_ROOT_CA.crt,
mozilla/Certum_Trusted_Network_CA_2.crt, mozilla/Certum_Trusted_Network_CA.crt,
mozilla/CFCA_EV_ROOT.crt, mozilla/Chambers_of_Commerce_Root_-_2008.crt, mozilla/
Comodo_AAA_Services_root.crt, mozilla/COMODO_Certification_Authority.crt,
mozilla/COMODO_ECC_Certification_Authority.crt,
mozilla/COMODO_RSA_Certification_Authority.crt,
mozilla/Cybertrust_Global_Root.crt, mozilla/Deutsche_Telekom_Root_CA_2.crt,
mozilla/DigiCert_Assured_ID_Root_CA.crt,
mozilla/DigiCert_Assured_ID_Root_G2.crt,
mozilla/DigiCert_Assured_ID_Root_G3.crt, mozilla/DigiCert_Global_Root_CA.crt,
mozilla/DigiCert_Global_Root_G2.crt, mozilla/DigiCert_Global_Root_G3.crt,
mozilla/DigiCert_High_Assurance_EV_Root_CA.crt,
mozilla/DigiCert_Trusted_Root_G4.crt, mozilla/DST_Root_CA_X3.crt, mozilla/D-
TRUST_Root_Class_3_CA_2_2009.crt, mozilla/D-TRUST_Root_Class_3_CA_2_EV_2009.crt,
mozilla/EC-ACC.crt, mozilla/EE_Certification_Centre_Root_CA.crt,
mozilla/Entrust.net_Premium_2048_Secure_Server_CA.crt,
mozilla/Entrust_Root_Certification_Authority.crt,
mozilla/Entrust_Root_Certification_Authority_-_EC1.crt,
mozilla/Entrust_Root_Certification_Authority_-_G2.crt,
mozilla/ePKI_Root_Certification_Authority.crt, mozilla/E-
Tugra_Certification_Authority.crt, mozilla/GeoTrust_Global_CA.crt,
mozilla/GeoTrust_Primary_Certification_Authority.crt,
mozilla/GeoTrust_Primary_Certification_Authority_-_G2.crt,
mozilla/GeoTrust_Primary_Certification_Authority_-_G3.crt,
mozilla/GeoTrust_Universal_CA_2.crt, mozilla/GeoTrust_Universal_CA.crt, mozilla/
Global_Chambersign_Root_-_2008.crt, mozilla/GlobalSign_ECC_Root_CA_-_R4.crt,
mozilla/GlobalSign_ECC_Root_CA_-_R5.crt, mozilla/GlobalSign_Root_CA.crt,
mozilla/GlobalSign_Root_CA_-_R2.crt, mozilla/GlobalSign_Root_CA_-_R3.crt,
mozilla/GlobalSign_Root_CA_-_R6.crt, mozilla/Go_Daddy_Class_2_CA.crt,
mozilla/Go_Daddy_Root_Certificate_Authority_-_G2.crt,
mozilla/Hellenic_Academic_and_Research_Institutions_ECC_RootCA_2015.crt,
mozilla/Hellenic_Academic_and_Research_Institutions_RootCA_2011.crt,
mozilla/Hellenic_Academic_and_Research_Institutions_RootCA_2015.crt,
mozilla/Hongkong_Post_Root_CA_1.crt, mozilla/IdenTrust_Commercial_Root_CA_1.crt,
mozilla/IdenTrust_Public_Sector_Root_CA_1.crt, mozilla/ISRG_Root_X1.crt,
mozilla/Izenpe.com.crt, mozilla/LuxTrust_Global_Root_2.crt, mozilla/Microsec_e-
Ssigno_Root_CA_2009.crt, mozilla/NetLock_Arany_=Class_Gold=_FM-EM-^QtanM-CM-:sM-
CM--tvM-CM-!ny.crt, mozilla/Network_Solutions_Certificate_Authority.crt,
mozilla/OISTE_WISEKey_Global_Root_GA_CA.crt,
mozilla/OISTE_WISEKey_Global_Root_GB_CA.crt,
mozilla/OISTE_WISEKey_Global_Root_GC_CA.crt, mozilla/QuoVadis_Root_CA_1_G3.crt,
mozilla/QuoVadis_Root_CA_2.crt, mozilla/QuoVadis_Root_CA_2_G3.crt,
mozilla/QuoVadis_Root_CA_3.crt, mozilla/QuoVadis_Root_CA_3_G3.crt,
mozilla/QuoVadis_Root_CA.crt, mozilla/Secure_Global_CA.crt,
mozilla/SecureSign_RootCA11.crt, mozilla/SecureTrust_CA.crt,
```

```

mozilla/Security_Communication_RootCA2.crt,
mozilla/Security_Communication_Root_CA.crt, mozilla/Sonera_Class_2_Root_CA.crt,
mozilla/Staat_der_Nederlanden_EV_Root_CA.crt,
mozilla/Staat_der_Nederlanden_Root_CA_-_G2.crt,
mozilla/Staat_der_Nederlanden_Root_CA_-_G3.crt,
mozilla/Starfield_Class_2_CA.crt, mozilla/Starfield_Root_Certificate_Authority_-_
_G2.crt, mozilla/Starfield_Services_Root_Certificate_Authority_-_G2.crt,
mozilla/SwissSign_Gold_CA_-_G2.crt, mozilla/SwissSign_Silver_CA_-_G2.crt,
mozilla/SZAFIR_ROOT_CA2.crt, mozilla/Taiwan_GRCA.crt,
mozilla/TeliaSonera_Root_CA_v1.crt, mozilla/thawte_Primary_Root_CA.crt, mozilla/
thawte_Primary_Root_CA_-_G2.crt, mozilla/thawte_Primary_Root_CA_-_G3.crt,
mozilla/Trustis_FPS_Root_CA.crt, mozilla/T-TeleSec_GlobalRoot_Class_2.crt,
mozilla/T-TeleSec_GlobalRoot_Class_3.crt,
mozilla/TUBITAK_Kamu_SM_SSL_Kok_Sertifikasi_-_Surum_1.crt,
mozilla/TWCA_Global_Root_CA.crt, mozilla/TWCA_Root_Certification_Authority.crt,
mozilla/USERTrust_ECC_Certification_Authority.crt,
mozilla/USERTrust_RSA_Certification_Authority.crt,
mozilla/Verisign_Class_3_Public_Primary_Certification_Authority_-_G3.crt,
mozilla/VeriSign_Class_3_Public_Primary_Certification_Authority_-_G4.crt,
mozilla/VeriSign_Class_3_Public_Primary_Certification_Authority_-_G5.crt,
mozilla/VeriSign_Universal_Root_Certification_Authority.crt,
mozilla/XRamp_Global_CA_Root.crt
sudo debconf-show console-setup
  console-setup/framebuffer_only:
  console-setup/fontsize: 8x16
* console-setup/codeset47: # Latin1 and Latin5 - western Europe and Turkic
languages
* console-setup/fontsize-fb47: 8x16
  console-setup/guess_font:
* console-setup/fontface47: Fixed
  console-setup/use_system_font:
  console-setup/codesetcode: Lat15
* console-setup/charmap47: UTF-8
  console-setup/fontsize-text47: 8x16
  console-setup/store_defaults_in_debconf_db: true
sudo debconf-show cups
  cupsys/raw-print: true
  cupsys/backend: lpd, socket, usb, snmp, dnssd
sudo debconf-show cups-bsd
  cups-bsd/setuplpd: false
sudo debconf-show dash
* dash/sh: true
sudo debconf-show davfs2
  davfs2/user_name: davfs2
  davfs2/new_user: true
  davfs2/non_root_users_confimed:
  davfs2/group_name: davfs2
  davfs2/new_group: true
* davfs2/suid_file: true
sudo debconf-show debconf
  debconf/priority: high
  debconf-apt-progress/title:
  debconf-apt-progress/media-change:
  debconf-apt-progress/info:
  debconf-apt-progress/preparing:
  debconf/frontend: Dialog
sudo debconf-show debconf-i18n
sudo debconf-show dictionaries-common
  dictionaries-common/default-wordlist: american (American English)
  dictionaries-common/selecting_ispell_wordlist_default:
  dictionaries-common/default-ispell: american (American English)

```

```

dictionaries-common/ispell-autobuildhash-message:
dictionaries-common/invalid_debconf_value:
dictionaries-common/debconf_database_corruption:
dictionaries-common/old_wordlist_link: true
sudo debconf-show encfs
* encfs/security-information:
sudo debconf-show exim4-base
  exim4-base/drec:
  exim4/purge_spool: false
sudo debconf-show exim4-config
  exim4/dc_local_interfaces: 127.0.0.1 ; ::1
  exim4/dc_readhost:
  exim4/dc_postmaster:
  exim4/dc_eximconfig_configtype: local delivery only; not on a network
  exim4/dc_relay_domains:
  exim4/mailname: ulefr01-inspiron
  exim4/dc_minimaldns: false
  exim4/dc_smarthost:
  exim4/exim4-config-title:
  exim4/use_split_config: false
  exim4/no_config: true
  exim4/dc_other_hostnames: ulefr01-inspiron
  exim4/dc_relay_nets:
  exim4/dc_localdelivery: mbox format in /var/mail/
  exim4/hide_mailname:
sudo debconf-show exim4-daemon-light
  exim4-daemon-light/drec:
sudo debconf-show fontconfig-config
* fontconfig/hinting_type: Native
* fontconfig/enable_bitmaps: false
* fontconfig/hinting_style: hintslight
* fontconfig/subpixel_rendering: Automatic
sudo debconf-show fonts-arphic-uming
sudo debconf-show gdm3
  gdm3/daemon_name: /usr/sbin/gdm3
* shared/default-x-display-manager: gdm3
sudo debconf-show grub-efi-amd64
* grub2/linux_cmdline:
* grub2/force_efi_extra_removable: false
  grub2/device_map_regenerated:
  grub2/kfreebsd_cmdline_default: quiet
* grub2/linux_cmdline_default: quiet splash
  grub2/kfreebsd_cmdline:
* grub2/update_nvram: false
sudo debconf-show hddtemp
  hddtemp/syslog: 0
  hddtemp/daemon: false
  hddtemp/port: 7634
  hddtemp/interface: 127.0.0.1
  hddtemp/SUID_bit: false
sudo debconf-show iamerican
  shared/packages-ispell:
  iamerican/languages: american (American English)
sudo debconf-show ibrazilian
  shared/packages-ispell:
  ibrazilian/languages: portugues brasileiro (Brazilian Portuguese)
sudo debconf-show ibritish
  shared/packages-ispell:
  ibritish/languages: british (British English)
sudo debconf-show ibulgarian
  shared/packages-ispell:

```

```

ibulgarian/languages: M-PM-1M-QM-^JM-PM-;M-PM-3M-PM-0M-QM-^@M-QM-^AM-PM-:M-PM-
8 (Bulgarian)
sudo debconf-show icatalan
  shared/packages-ispell:
  icatalan/languages: catala8 (Catalan 8 bits)
sudo debconf-show idanish
  shared/packages-ispell:
  idanish/languages: danish (Den Store Danske Ordliste)
sudo debconf-show idutch
  shared/packages-ispell:
  idutch/languages: nederlands (Dutch)
sudo debconf-show ifrench-gut
  ifrench-gut/languages: francais GUTenberg (French GUTenberg), francais
GUTenberg TeX8b (French GUTenberg TeX8b), francais GUTenberg latin1 (French
GUTenberg latin1)
  shared/packages-ispell:
sudo debconf-show ihungarian
  shared/packages-ispell:
  ihungarian/languages: magyar (Hungarian)
sudo debconf-show iitalian
  shared/packages-ispell:
  iitalian/languages: italiano (Italian)
sudo debconf-show ilithuanian
  ilithuanian/languages: lietuviM-EM-3 (Lithuanian)
  shared/packages-ispell:
sudo debconf-show ingerman
  shared/packages-ispell:
  ingerman/languages: deutsch (New German -tex mode-), deutsch (New German 8
bit)
sudo debconf-show inorwegian
  shared/packages-ispell:
  inorwegian/languages: bokmM-CM-%l (Bokmal Norwegian), nynorsk (New Norwegian)
  inorwegian/whichvariant: bokmaal
sudo debconf-show ipolish
  ipolish/languages: polski (Polish)
  shared/packages-ispell:
sudo debconf-show iportuguese
  iportuguese/languages: portugues europeu (European Portuguese)
  shared/packages-ispell:
sudo debconf-show iproute2
  iproute2/setcaps: false
sudo debconf-show irqbalance
  irqbalance/enable: true
  irqbalance/oneshot: false
sudo debconf-show irussian
  irussian/languages: russian (Russian koi8-r)
  shared/packages-ispell:
  irussian/elanguages: russki (Russian)
sudo debconf-show ispanish
  shared/packages-ispell:
  ispanish/languages: castellano8 (Spanish 8 bit)
sudo debconf-show iswiss
  shared/packages-ispell:
  iswiss/languages: deutsch (Swiss German -tex mode-), deutsch (Swiss German 8
bit)
sudo debconf-show iukrainian
  iukrainian/languages: ukrainian (Ukrainian)
  shared/packages-ispell:
sudo debconf-show keyboard-configuration
  keyboard-configuration/unsupported_config_layout: true
* keyboard-configuration/other:

```

```

* keyboard-configuration/store_defaults_in_debconf_db: true
* keyboard-configuration/switch: No temporary switch
* keyboard-configuration/model: PC genM-CM-(ric de 105 tecles (intl.))
* keyboard-configuration/toggle: No toggling
keyboard-configuration/unsupported_options: true
* keyboard-configuration/variantcode:
  keyboard-configuration/ctrl_alt_bksp: false
* keyboard-configuration/layout:
* keyboard-configuration/altgr: The default for the keyboard layout
  debian-installer/console-setup-udeb/title:
* keyboard-configuration/layoutcode: be
* keyboard-configuration/modelcode: pc105
* keyboard-configuration/compose: No compose key
* keyboard-configuration/optionscode:
* keyboard-configuration/xkb-keymap: be
  keyboard-configuration/unsupported_layout: true
  keyboard-configuration/unsupported_config_options: true
* keyboard-configuration/variant: Belgies
sudo debconf-show libpam0g
* libraries/restart-without-asking: true
  libpam0g/restart-services:
  libpam0g/restart-failed:
  libpam0g/xdm-needs-restart:
sudo debconf-show libpam-runtime
  libpam-runtime/no_profiles_chosen:
  libpam-runtime/conflicts:
  libpam-runtime/title:
  libpam-runtime/override: false
  libpam-runtime/profiles: unix, systemd, gnome-keyring, capability
sudo debconf-show libpaper1
  libpaper/defaultpaper: a4
sudo debconf-show libssl1.0.2
  libssl1.0.2/restart-failed:
  libssl1.0.2/restart-services:
sudo debconf-show libssl1.1
  libssl1.1/restart-failed:
  libssl1.1/restart-services:
sudo debconf-show lightdm
  lightdm/daemon_name: /usr/sbin/lightdm
* shared/default-x-display-manager: gdm3
sudo debconf-show linux-base
* linux-base/removing-running-kernel: true
  linux-base/removing-title:
sudo debconf-show localepurge
  localepurge/quickndirtycalc: false
* localepurge/use-dpkg-feature: true
  localepurge/dontbothernew: true
  localepurge/verbose: false
  localepurge/none_selected: false
  localepurge/showfreedspace: true
  localepurge/remove_no:
  localepurge/mandelete: true
* localepurge/nopurge: nL, nL_BE, nL_BE@euro, nL_BE.UTF-8
sudo debconf-show locales
* locales/default_environment_locale: nL_BE.UTF-8
* locales/locales_to_be_generated: nL_BE ISO-8859-1, nL_BE.UTF-8 UTF-8,
nL_BE@euro ISO-8859-15
sudo debconf-show man-db
  man-db/install-setuid: false
  man-db/auto-update: true
sudo debconf-show manpages-es

```

```

sudo debconf-show mdadm
  mdadm/mail_to: root
  mdadm/autocheck: true
  mdadm/start_daemon: true
sudo debconf-show minissdpd
  minissdpd/ip6: false
* minissdpd/listen: enp0s20f0u1c4i2 enp3s0 wlp2s0
* minissdpd/why_I_am_here:
* minissdpd/start_daemon: false
sudo debconf-show phonon4qt5
  phonon4qt5-backend-null/isnt_functional_title:
  phonon4qt5-backend-null/isnt_functional:
sudo debconf-show popularity-contest
* popularity-contest/participate: false
  popularity-contest/submiturls:
sudo debconf-show sane-utils
  sane-utils/saned_run: false
  sane-utils/saned_scanner_group: true
sudo debconf-show ssl-cert
  make-ssl-cert/vulnerable_prng:
  make-ssl-cert/title:
  make-ssl-cert/altname:
  make-ssl-cert/hostname: localhost
sudo debconf-show sysstat
  sysstat/enable: false
  sysstat/remove_files: true
sudo debconf-show tasksel
  tasksel/desktop:
  tasksel/title:
  tasksel/first:
  tasksel/tasks: gnome-desktop, laptop
sudo debconf-show texlive-base
  texlive-base/binary_chooser: pdftex, dvips, dvipdfmx, xdvi
  texlive-base/texconfig_ignorant:
sudo debconf-show tftpd-hpa
  tftpd-hpa/options: --secure
  tftpd-hpa/username: tftp
  tftpd-hpa/address: 0.0.0.0:69
  tftpd-hpa/directory: /srv/tftp
sudo debconf-show ttf-mscorefonts-installer
  msttcorefonts/dlurl:
  msttcorefonts/http_proxy:
  msttcorefonts/baddldir:
  msttcorefonts/savedir:
  msttcorefonts/dldir:
sudo debconf-show tzdata
  tzdata/Zones/Indian:
  tzdata/Zones/Atlantic:
  tzdata/Zones/US:
  tzdata/Zones/SystemV:
  tzdata/Zones/Asia:
* tzdata/Zones/Etc: UTC
  tzdata/Zones/Africa:
  tzdata/Zones/Arctic:
  tzdata/Zones/Australia:
* tzdata/Zones/Europe: Brussels
* tzdata/Areas: Europe
  tzdata/Zones/Pacific:
  tzdata/Zones/Antarctica:
  tzdata/Zones/America:
sudo debconf-show ucf

```



```

* ucf/changeprompt_threeway: keep_current
* ucf/show_diff:
  ucf/changeprompt: keep_current
  ucf/conflicts_found:
  ucf/title:
sudo debconf-show ufw
  ufw/allow_known_ports:
  ufw/enable: true
* ufw/existing_configuration:
  ufw/allow_custom_ports:
sudo debconf-show unattended-upgrades
  unattended-upgrades/enable_auto_updates: true
sudo debconf-show update-inetd
  update-inetd/title:
  update-inetd/ask-entry-present: true
  update-inetd/ask-remove-entries: false
  update-inetd/ask-several-entries: true
  update-inetd/ask-disable-entries: false
sudo debconf-show wamerican
  shared/packages-wordlist:
  wamerican/languages: american (American English)
sudo debconf-show wbrazilian
  wbrazilian/languages: portugues brasileiro (Brazilian Portuguese)
  shared/packages-wordlist:
sudo debconf-show wbulgarian
  wbulgarian/languages: M-PM-1M-QM-^JM-PM-;M-PM-3M-PM-0M-QM-^@M-QM-^AM-PM-:M-PM-
8 (Bulgarian)
  shared/packages-wordlist:
sudo debconf-show wcatalan
  shared/packages-wordlist:
  wcatalan/languages: catala (Catalan)
sudo debconf-show wdanish
  shared/packages-wordlist:
  wdanish/languages: danish (Den Store Danske Ordliste)
sudo debconf-show wdutch
  wdutch/languages: nederlands (Dutch)
  shared/packages-wordlist:
sudo debconf-show wfrench
  shared/packages-wordlist:
  wfrench/languages: francais (French)
sudo debconf-show witalian
  shared/packages-wordlist:
  witalian/languages: italiano (Italian)
sudo debconf-show wngerman
  shared/packages-wordlist:
  wngerman/languages: deutsch (New German)
sudo debconf-show wnorwegian
  wnorwegian/whichvariant: bokmaal
  wnorwegian/languages: bokmM-CM-%l (BokmM-CM-%l Norwegian), nynorsk (New
Norwegian)
  shared/packages-wordlist:
sudo debconf-show wpolish
  wpolish/languages: polski (Polish)
  shared/packages-wordlist:
sudo debconf-show wportuguese
  wportuguese/languages: portugues europeu (European Portuguese)
  shared/packages-wordlist:
sudo debconf-show wspanish
  shared/packages-wordlist:
  wspanish/languages: castellano (Spanish)
sudo debconf-show wswedish

```

```

wswedish/languages: svenska (Swedish)
shared/packages-wordlist:
sudo debconf-show xserver-xorg-legacy
  xserver-xorg-legacy/xwrapper/actual_allowed_users: console
  xserver-xorg-legacy/xwrapper/allowed_users: Console Users Only
===== end debconf =====
===== start dpkg commands =====
1. lijst van pakketten geïnstalleerd in folder path
dpkg --search /opt
cryptomator, goterminal, master-pdf-editor, google-webdesigner, buttercup-
desktop, riot-web: /opt
-----
2. remove een pakket met dpkg
sudo dpkg -r goterminal
(Database wordt ingelezen ... 469985 bestanden en mappen momenteel
geïnstalleerd.)
goterminal (0.0.5) wordt verwijderd ...
Bezig met afhandelen van triggers voor mime-support (3.62) ...
Bezig met afhandelen van triggers voor gnome-menus (3.31.4-3) ...
Bezig met afhandelen van triggers voor desktop-file-utils (0.23-4) ...
-----
3. installeer een pakket met dpkg
sudo dpkg -i ~/Downloads/goterminal_amd64_0.0.5.deb
Voorheen niet geselecteerd pakket goterminal wordt geselecteerd.
(Database wordt ingelezen ... 469907 bestanden en mappen momenteel
geïnstalleerd.)
Uitpakken van .../goterminal_amd64_0.0.5.deb wordt voorbereid...
Bezig met uitpakken van goterminal (0.0.5) ...
Instellen van goterminal (0.0.5) ...
Bezig met afhandelen van triggers voor mime-support (3.62) ...
Bezig met afhandelen van triggers voor gnome-menus (3.31.4-3) ...
Bezig met afhandelen van triggers voor desktop-file-utils (0.23-4) ...
-----
4. kijk of een pakket geïnstalleerd is met dpkg
dpkg -s goterminal
Package: goterminal
Status: install ok installed
Priority: optional
Section: base
Maintainer: Sophiware <goterminal@sophiware.com>
Architecture: amd64
Version: 0.0.5
Description: Go Terminal
  Elegant and efficient Linux terminal
License: APSL 2.0
-----
5. informatie van een deb pakket
dpkg --info ~/Downloads/goterminal_amd64_0.0.5.deb
nieuw Debian-pakket, versie 2.0.
grootte 39209034 bytes: controlearchief=294 bytes.
  219 bytes, 9 regels control
Package: goterminal
Version: 0.0.5
License: APSL 2.0
Section: base
Priority: optional
Architecture: amd64
Maintainer: Sophiware <goterminal@sophiware.com>
Description: Go Terminal
  Elegant and efficient Linux terminal
-----

```

6. bestanden van een deb bestand

```

dpkg -c ~/Downloads/goterminal_amd64_0.0.5.deb
drwxrwxr-x assis/assis      0 2016-07-20 19:38 ./
drwxrwxr-x assis/assis      0 2016-07-20 20:12 ./opt/
drwxrwxr-x assis/assis      0 2016-07-20 20:12 ./opt/goterminal/
-rw-r--r-- assis/assis 618284 2016-04-29 09:02
./opt/goterminal/snapshot_blob.bin
-rwxrwxr-x assis/assis      9035 2016-06-12 23:02 ./opt/goterminal/icon.ico
-rw-r--r-- assis/assis 9520105 2016-04-29 09:02
./opt/goterminal/content_shell.pak
drwxrwxr-x assis/assis      0 2016-07-20 18:07 ./opt/goterminal/locales/
-rw-r--r-- assis/assis      3734 2016-04-29 09:03 ./opt/goterminal/locales/nl.pak
-rw-r--r-- assis/assis      6555 2016-04-29 09:03 ./opt/goterminal/locales/bg.pak
-rw-r--r-- assis/assis      3896 2016-04-29 09:03 ./opt/goterminal/locales/pt-
PT.pak
-rw-r--r-- assis/assis      3704 2016-04-29 09:03 ./opt/goterminal/locales/fi.pak
-rw-r--r-- assis/assis      3437 2016-04-29 09:03 ./opt/goterminal/locales/zh-
CN.pak
-rw-r--r-- assis/assis      3958 2016-04-29 09:03 ./opt/goterminal/locales/de.pak
-rw-r--r-- assis/assis      3824 2016-04-29 09:03 ./opt/goterminal/locales/sl.pak
-rw-r--r-- assis/assis      5938 2016-04-29 09:03 ./opt/goterminal/locales/fake-
bidi.pak
-rw-r--r-- assis/assis      3865 2016-04-29 09:03 ./opt/goterminal/locales/hr.pak
-rw-r--r-- assis/assis      3631 2016-04-29 09:03 ./opt/goterminal/locales/et.pak
-rw-r--r-- assis/assis      3857 2016-04-29 09:03 ./opt/goterminal/locales/ko.pak
-rw-r--r-- assis/assis      4198 2016-04-29 09:03 ./opt/goterminal/locales/ro.pak
-rw-r--r-- assis/assis      3577 2016-04-29 09:03 ./opt/goterminal/locales/id.pak
-rw-r--r-- assis/assis      3905 2016-04-29 09:03 ./opt/goterminal/locales/sw.pak
-rw-r--r-- assis/assis      4195 2016-04-29 09:03 ./opt/goterminal/locales/lv.pak
-rw-r--r-- assis/assis      9525 2016-04-29 09:03 ./opt/goterminal/locales/te.pak
-rw-r--r-- assis/assis      5976 2016-04-29 09:03 ./opt/goterminal/locales/am.pak
-rw-r--r-- assis/assis      7656 2016-04-29 09:03 ./opt/goterminal/locales/th.pak
-rw-r--r-- assis/assis      5633 2016-04-29 09:03 ./opt/goterminal/locales/ar.pak
-rw-r--r-- assis/assis      4464 2016-04-29 09:03 ./opt/goterminal/locales/he.pak
-rw-r--r-- assis/assis      6083 2016-04-29 09:03 ./opt/goterminal/locales/ru.pak
-rw-r--r-- assis/assis      4380 2016-04-29 09:03 ./opt/goterminal/locales/fr.pak
-rw-r--r-- assis/assis      4013 2016-04-29 09:03 ./opt/goterminal/locales/ca.pak
-rw-r--r-- assis/assis      3411 2016-04-29 09:03 ./opt/goterminal/locales/en-
GB.pak
-rw-r--r-- assis/assis      3515 2016-04-29 09:03 ./opt/goterminal/locales/da.pak
-rw-r--r-- assis/assis      7836 2016-04-29 09:03 ./opt/goterminal/locales/mr.pak
-rw-r--r-- assis/assis      5527 2016-04-29 09:03 ./opt/goterminal/locales/fa.pak
-rw-r--r-- assis/assis      3835 2016-04-29 09:03 ./opt/goterminal/locales/pt-
BR.pak
-rw-r--r-- assis/assis      3979 2016-04-29 09:03 ./opt/goterminal/locales/it.pak
-rw-r--r-- assis/assis      7142 2016-04-29 09:03 ./opt/goterminal/locales/el.pak
-rw-r--r-- assis/assis      4298 2016-04-29 09:03 ./opt/goterminal/locales/hu.pak
-rw-r--r-- assis/assis      9168 2016-04-29 09:03 ./opt/goterminal/locales/kn.pak
-rw-r--r-- assis/assis      9881 2016-04-29 09:03 ./opt/goterminal/locales/ta.pak
-rw-r--r-- assis/assis      3478 2016-04-29 09:03 ./opt/goterminal/locales/nb.pak
-rw-r--r-- assis/assis      4169 2016-04-29 09:03 ./opt/goterminal/locales/es-
419.pak
-rw-r--r-- assis/assis      4547 2016-04-29 09:03 ./opt/goterminal/locales/vi.pak
-rw-r--r-- assis/assis      6208 2016-04-29 09:03 ./opt/goterminal/locales/uk.pak
-rw-r--r-- assis/assis      4059 2016-04-29 09:03 ./opt/goterminal/locales/lt.pak
-rw-r--r-- assis/assis      3418 2016-04-29 09:03 ./opt/goterminal/locales/en-
US.pak
-rw-r--r-- assis/assis      3880 2016-04-29 09:03 ./opt/goterminal/locales/cs.pak
-rw-r--r-- assis/assis      3953 2016-04-29 09:03 ./opt/goterminal/locales/sk.pak
-rw-r--r-- assis/assis 10019 2016-04-29 09:03 ./opt/goterminal/locales/ml.pak
-rw-r--r-- assis/assis      3421 2016-04-29 09:03 ./opt/goterminal/locales/sv.pak

```

```

-rw-r--r-- assis/assis 3772 2016-04-29 09:03 ./opt/goterminal/locales/tr.pak
-rw-r--r-- assis/assis 3858 2016-04-29 09:03 ./opt/goterminal/locales/pl.pak
-rw-r--r-- assis/assis 4317 2016-04-29 09:03 ./opt/goterminal/locales/es.pak
-rw-r--r-- assis/assis 6091 2016-04-29 09:03 ./opt/goterminal/locales/sr.pak
-rw-r--r-- assis/assis 3679 2016-04-29 09:03 ./opt/goterminal/locales/ms.pak
-rw-r--r-- assis/assis 8509 2016-04-29 09:03 ./opt/goterminal/locales/bn.pak
-rw-r--r-- assis/assis 4218 2016-04-29 09:03 ./opt/goterminal/locales/fil.pak
-rw-r--r-- assis/assis 4737 2016-04-29 09:03 ./opt/goterminal/locales/ja.pak
-rw-r--r-- assis/assis 7602 2016-04-29 09:03 ./opt/goterminal/locales/hi.pak
-rw-r--r-- assis/assis 8047 2016-04-29 09:03 ./opt/goterminal/locales/gu.pak
-rw-r--r-- assis/assis 3410 2016-04-29 09:03 ./opt/goterminal/locales/zh-
TW.pak
drwxrwxr-x assis/assis 0 2016-07-21 16:25 ./opt/goterminal/resources/
-rw-r--r-- assis/assis 168013 2016-04-29 09:03
./opt/goterminal/resources/electron.asar
drwxrwxr-x assis/assis 0 2016-07-20 18:46
./opt/goterminal/resources/.idea/
-rw-rw-r-- assis/assis 10999 2016-07-20 18:46
./opt/goterminal/resources/.idea/workspace.xml
-rw-rw-r-- assis/assis 187 2016-07-20 18:18
./opt/goterminal/resources/.idea/jsLibraryMappings.xml
-rw-rw-r-- assis/assis 270 2016-07-20 18:13
./opt/goterminal/resources/.idea/modules.xml
-rw-rw-r-- assis/assis 281 2016-07-20 18:13
./opt/goterminal/resources/.idea/resources.iml
-rw-rw-r-- assis/assis 648 2016-07-20 18:18
./opt/goterminal/resources/.idea/misc.xml
-rw-rw-r-- assis/assis 51512016 2016-07-21 16:23
./opt/goterminal/resources/app.asar
-rw-r--r-- assis/assis 10207936 2016-04-29 09:02 ./opt/goterminal/icudtl.dat
-rw-r--r-- assis/assis 2583032 2016-04-29 09:59 ./opt/goterminal/libffmpeg.so
-rwxr-xr-x assis/assis 18589632 2016-04-29 09:59 ./opt/goterminal/libnode.so
-rwxr-xr-x assis/assis 62641344 2016-04-29 09:59 ./opt/goterminal/goterminal
-rwxrwxr-x assis/assis 9152 2016-06-12 23:02 ./opt/goterminal/icon.png
-rwxrwxrwx assis/assis 126 2016-07-06 00:23 ./opt/goterminal/INSTALL
-rw-r--r-- assis/assis 412130 2016-04-29 09:02
./opt/goterminal/natives_blob.bin
drwxrwxr-x assis/assis 0 2016-06-11 22:30 ./usr/
drwxrwxr-x assis/assis 0 2016-06-11 22:30 ./usr/share/
drwxrwxr-x assis/assis 0 2016-07-20 19:45 ./usr/share/applications/
-rw-r--r-- assis/assis 433 2016-07-20 19:45
./usr/share/applications/sophiware-goterminal.desktop
drwxrwxr-x assis/assis 0 2016-06-11 22:24 ./usr/local/
drwxrwxr-x assis/assis 0 2016-06-11 22:27 ./usr/local/bin/
lrwxrwxrwx assis/assis 0 2016-07-20 19:38 ./usr/local/bin/goterminal -> /
opt/goterminal/goterminal

```

7. status van een pakket geïnstalleerd met dpkg

```
dpkg -l goterminal
```

```
Gevraagd=(U)onbekend/(I)nstalleren/(V)erwijderen/(P)wissen/(H)ouden
```

```
| Status=Niet/Inst/Conf/Uitgep/half-geconf/HalfgeM-CM-/nst/verWacht-trig/Trig-
bezig
```

```
|/ Fout?=(geen)/heRinst. nodig/ (Status,Fout: hoofdletter=ernstig)
```

```
||/ Naam Versie Architectuur Omschrijving
```

```
+++-----
```

ii	goterminal	0.0.5	amd64	Go Terminal

8. volledig verwijderen van een deb bestand

```
sudo dpkg -p goterminal
```

```
of
```

```
sudo dpkg --purge goterminal # wordt hiet NIET uitgevoerd !
```

9. lijst van al je geïnstalleerde pakketten

```
dpkg --get-selections          # wordt hier NIET uitgevoerd !
```

10. al je geïnstalleerde pakketten op een ander systeem installeren

```
sudo dpkg --set-selections <packlist
```

```
dselect
```

```
I option
```

```
==== end dpkgcmds =====
```

```
==== start logdpkgs =====
```

```
Log geïnstalleerde pakketten
```

```
=====
```

```
-- grep "install " /var/log/dpkg.log
```

```
2019-04-01 19:54:49 install chromium-common:amd64 <geen> 73.0.3683.75-1
2019-04-01 19:54:53 install chromium-sandbox:amd64 <geen> 73.0.3683.75-1
2019-04-01 19:55:50 install goterminal:amd64 <geen> 0.0.5
2019-04-01 22:24:39 install master-pdf-editor:amd64 <geen> 4.3.89
2019-04-02 22:39:50 install goterminal:amd64 <geen> 0.0.5
2019-04-02 23:43:02 install redshift:amd64 <geen> 1.12-2
2019-04-02 23:43:02 install redshift-gtk:all <geen> 1.12-2
2019-04-03 21:03:25 install goterminal:amd64 <geen> 0.0.5
2019-04-03 21:48:22 install python3-distro-info:all <geen> 0.21
2019-04-03 21:48:22 install unattended-upgrades:all <geen> 1.11
2019-04-03 22:02:29 install python3-debconf:all <geen> 1.5.71
2019-04-03 22:02:29 install apt-listchanges:all <geen> 3.19
2019-04-05 19:02:59 install goterminal:amd64 <geen> 0.0.5
2019-04-07 12:54:48 install goterminal:amd64 <geen> 0.0.5
```

```
=====
```

```
Log geupgrade pakketten
```

```
=====
```

```
-- grep "upgrade " /var/log/dpkg.log
```

```
2019-04-01 19:54:29 upgrade dpkg:amd64 1.19.5 1.19.6
2019-04-01 19:54:30 upgrade fish:amd64 3.0.2-1 3.0.2-2
2019-04-01 19:54:31 upgrade fish-common:all 3.0.2-1 3.0.2-2
2019-04-01 19:54:31 upgrade chromium-l10n:all 72.0.3626.122-1~deb9u1
73.0.3683.75-1
2019-04-01 19:54:32 upgrade gcc-8-base:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:32 upgrade gcc-8-base:i386 8.3.0-2 8.3.0-4
2019-04-01 19:54:32 upgrade libstdc++6:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:33 upgrade libstdc++6:i386 8.3.0-2 8.3.0-4
2019-04-01 19:54:33 upgrade libcc1-0:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:33 upgrade libgomp1:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:33 upgrade libitm1:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:34 upgrade libatomic1:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:34 upgrade libasan5:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:34 upgrade liblsan0:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:34 upgrade libtsan0:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:34 upgrade libubsan1:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:35 upgrade libmpx2:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:35 upgrade libquadmath0:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:35 upgrade g++-8:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:36 upgrade libstdc++-8-dev:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:37 upgrade libgfortran5:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:37 upgrade gfortran-8:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:38 upgrade libgfortran-8-dev:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:38 upgrade libgcc-8-dev:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:39 upgrade gcc-8:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:40 upgrade cpp-8:amd64 8.3.0-2 8.3.0-4
2019-04-01 19:54:41 upgrade libgcc1:amd64 1:8.3.0-2 1:8.3.0-4
2019-04-01 19:54:41 upgrade libgcc1:i386 1:8.3.0-2 1:8.3.0-4
2019-04-01 19:54:41 upgrade cups-daemon:amd64 2.2.10-4 2.2.10-5
2019-04-01 19:54:41 upgrade cups-core-drivers:amd64 2.2.10-4 2.2.10-5
```

```

2019-04-01 19:54:41 upgrade cups-server-common:all 2.2.10-4 2.2.10-5
2019-04-01 19:54:42 upgrade cups-ipp-utils:amd64 2.2.10-4 2.2.10-5
2019-04-01 19:54:42 upgrade cups-common:all 2.2.10-4 2.2.10-5
2019-04-01 19:54:42 upgrade cups-client:amd64 2.2.10-4 2.2.10-5
2019-04-01 19:54:43 upgrade cups:amd64 2.2.10-4 2.2.10-5
2019-04-01 19:54:43 upgrade cups-bsd:amd64 2.2.10-4 2.2.10-5
2019-04-01 19:54:43 upgrade libcupsimage2:amd64 2.2.10-4 2.2.10-5
2019-04-01 19:54:43 upgrade cups-ppdc:amd64 2.2.10-4 2.2.10-5
2019-04-01 19:54:44 upgrade libcups2:amd64 2.2.10-4 2.2.10-5
2019-04-01 19:54:44 upgrade chromium:amd64 72.0.3626.122-1~deb9u1 73.0.3683.75-1
2019-04-01 19:54:49 upgrade libpcre2-32-0:amd64 10.32-4 10.32-5
2019-04-01 19:54:50 upgrade libsqlite3-dev:amd64 3.27.2-1 3.27.2-2
2019-04-01 19:54:50 upgrade sqlite3:amd64 3.27.2-1 3.27.2-2
2019-04-01 19:54:50 upgrade libsqlite3-0:amd64 3.27.2-1 3.27.2-2
2019-04-01 19:54:50 upgrade libqt5webkit5:amd64 5.212.0~alpha2-20
5.212.0~alpha2-21
2019-04-01 19:54:52 upgrade libsane:amd64 1.0.27-3.1 1.0.27-3.2
2019-04-01 19:54:53 upgrade libsane-common:all 1.0.27-3.1 1.0.27-3.2
2019-04-01 19:54:53 upgrade sane-utils:amd64 1.0.27-3.1 1.0.27-3.2
2019-04-01 19:54:53 upgrade busybox:amd64 1:1.30.1-2 1:1.30.1-3
2019-04-01 19:54:53 upgrade libcurl4-openssl-dev:amd64 7.64.0-1 7.64.0-2
2019-04-01 19:54:54 upgrade curl:amd64 7.64.0-1 7.64.0-2
2019-04-01 19:54:54 upgrade libcurl4:amd64 7.64.0-1 7.64.0-2
2019-04-01 19:54:54 upgrade debian-reference-common:all 2.75 2.76
2019-04-01 19:54:54 upgrade debian-reference-es:all 2.75 2.76
2019-04-01 19:54:55 upgrade debian-reference-it:all 2.75 2.76
2019-04-01 19:54:55 upgrade dns-root-data:all 2018091102 2019031302
2019-04-01 19:54:55 upgrade dpkg-dev:all 1.19.5 1.19.6
2019-04-01 19:54:56 upgrade libdpkg-perl:all 1.19.5 1.19.6
2019-04-01 19:54:56 upgrade fwupd-amd64-signed:amd64 1.2.5+1 1.2.5+2
2019-04-01 19:54:56 upgrade libfwupd2:amd64 1.2.5-1 1.2.5-2
2019-04-01 19:54:56 upgrade fwupd:amd64 1.2.5-1 1.2.5-2
2019-04-01 19:54:57 upgrade libcurl3-gnutls:amd64 7.64.0-1 7.64.0-2
2019-04-01 19:54:57 upgrade libpcre2-16-0:amd64 10.32-4 10.32-5
2019-04-01 19:54:57 upgrade libpcre2-8-0:amd64 10.32-4 10.32-5
2019-04-01 19:54:57 upgrade libqt5texttospeech5:amd64 5.11.3-2 5.11.3-3
2019-04-01 19:54:57 upgrade libruby2.5:amd64 2.5.3-4 2.5.5-1
2019-04-01 19:54:58 upgrade python-backports.functools-lru-cache:all 1.5-2 1.5-3
2019-04-01 19:54:59 upgrade ruby-chromedriver-helper:all 2.1.0-6 2.1.0-7
2019-04-01 19:54:59 upgrade ruby2.5:amd64 2.5.3-4 2.5.5-1
2019-04-01 19:54:59 upgrade udhcpd:amd64 1:1.30.1-2 1:1.30.1-3
2019-04-01 19:54:59 upgrade riot-web:amd64 1.0.5 1.0.6
2019-04-02 12:34:34 upgrade apparmor:amd64 2.13.2-9 2.13.2-10
2019-04-02 12:34:35 upgrade libapparmor1:amd64 2.13.2-9 2.13.2-10
2019-04-02 12:34:35 upgrade libinput-bin:amd64 1.12.6-1 1.12.6-2
2019-04-02 12:34:35 upgrade libinput10:amd64 1.12.6-1 1.12.6-2
2019-04-02 12:34:35 upgrade libopenexr23:amd64 2.2.1-4 2.2.1-4.1
2019-04-03 21:03:12 upgrade libzmq5:amd64 4.3.1-3 4.3.1-4
2019-04-03 21:03:12 upgrade python3-pip:all 18.1-4 18.1-5
2019-04-03 21:03:13 upgrade python-pip:all 18.1-4 18.1-5
2019-04-03 21:03:13 upgrade python-pip-whl:all 18.1-4 18.1-5
2019-04-05 19:01:41 upgrade libperl5.28:amd64 5.28.1-5 5.28.1-6
2019-04-05 19:01:42 upgrade perl:amd64 5.28.1-5 5.28.1-6
2019-04-05 19:01:42 upgrade perl-base:amd64 5.28.1-5 5.28.1-6
2019-04-05 19:01:43 upgrade perl-modules-5.28:all 5.28.1-5 5.28.1-6
2019-04-05 19:01:44 upgrade python2.7-dev:amd64 2.7.16~rc1-1 2.7.16-1
2019-04-05 19:01:44 upgrade python2.7:amd64 2.7.16~rc1-1 2.7.16-1
2019-04-05 19:01:44 upgrade libpython2.7-dev:amd64 2.7.16~rc1-1 2.7.16-1
2019-04-05 19:01:46 upgrade libpython2.7:amd64 2.7.16~rc1-1 2.7.16-1
2019-04-05 19:01:47 upgrade libpython2.7-stdlib:amd64 2.7.16~rc1-1 2.7.16-1
2019-04-05 19:01:48 upgrade python2.7-minimal:amd64 2.7.16~rc1-1 2.7.16-1

```

```

2019-04-05 19:01:48 upgrade libpython2.7-minimal:amd64 2.7.16~rc1-1 2.7.16-1
2019-04-05 19:01:49 upgrade libpython2-stdlib:amd64 2.7.15-4 2.7.16-1
2019-04-05 19:01:49 upgrade python-all:amd64 2.7.15-4 2.7.16-1
2019-04-05 19:01:49 upgrade python-dev:amd64 2.7.15-4 2.7.16-1
2019-04-05 19:01:49 upgrade python-all-dev:amd64 2.7.15-4 2.7.16-1
2019-04-05 19:01:49 upgrade libpython-all-dev:amd64 2.7.15-4 2.7.16-1
2019-04-05 19:01:49 upgrade libpython-dev:amd64 2.7.15-4 2.7.16-1
2019-04-05 19:01:50 upgrade libpython2-dev:amd64 2.7.15-4 2.7.16-1
2019-04-05 19:01:50 upgrade python2-dev:amd64 2.7.15-4 2.7.16-1
2019-04-05 19:01:50 upgrade python2-minimal:amd64 2.7.15-4 2.7.16-1
2019-04-05 19:01:51 upgrade python2:amd64 2.7.15-4 2.7.16-1
2019-04-05 19:01:51 upgrade python-minimal:amd64 2.7.15-4 2.7.16-1
2019-04-05 19:01:52 upgrade python:amd64 2.7.15-4 2.7.16-1
2019-04-05 19:01:52 upgrade libpython-stdlib:amd64 2.7.15-4 2.7.16-1
2019-04-05 19:01:52 upgrade console-setup-linux:all 1.188 1.191
2019-04-05 19:01:53 upgrade console-setup:all 1.188 1.191
2019-04-05 19:01:53 upgrade keyboard-configuration:all 1.188 1.191
2019-04-05 19:01:53 upgrade libldb1:amd64 2:1.5.1+really1.4.3-2
2:1.5.1+really1.4.6-3
2019-04-05 19:01:54 upgrade libsmbclient:amd64 2:4.9.4+dfsg-4 2:4.9.5+dfsg-2
2019-04-05 19:01:54 upgrade samba-libs:amd64 2:4.9.4+dfsg-4 2:4.9.5+dfsg-2
2019-04-05 19:01:55 upgrade libwbclient0:amd64 2:4.9.4+dfsg-4 2:4.9.5+dfsg-2
2019-04-05 19:01:55 upgrade gcc-8-base:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:01:55 upgrade gcc-8-base:i386 8.3.0-4 8.3.0-5
2019-04-05 19:01:55 upgrade libstdc++6:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:01:56 upgrade libstdc++6:i386 8.3.0-4 8.3.0-5
2019-04-05 19:01:56 upgrade libcc1-0:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:01:56 upgrade libgomp1:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:01:56 upgrade libitm1:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:01:56 upgrade libatomic1:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:01:56 upgrade libasan5:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:01:57 upgrade liblsan0:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:01:57 upgrade libtsan0:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:01:57 upgrade libubsan1:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:01:57 upgrade libmpx2:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:01:57 upgrade libquadmath0:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:01:57 upgrade g++-8:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:01:58 upgrade libstdc++-8-dev:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:01:59 upgrade libgfortran5:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:01:59 upgrade gfortran-8:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:02:00 upgrade libgfortran-8-dev:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:02:01 upgrade libgcc-8-dev:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:02:01 upgrade gcc-8:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:02:02 upgrade cpp-8:amd64 8.3.0-4 8.3.0-5
2019-04-05 19:02:03 upgrade libgcc1:amd64 1:8.3.0-4 1:8.3.0-5
2019-04-05 19:02:03 upgrade libgcc1:i386 1:8.3.0-4 1:8.3.0-5
2019-04-05 19:02:04 upgrade libdebconfclient0:amd64 0.248 0.249
2019-04-05 19:02:05 upgrade busybox:amd64 1:1.30.1-3 1:1.30.1-4
2019-04-05 19:02:05 upgrade libwebkit2gtk-4.0-37:amd64 2.22.6-1 2.22.7-1
2019-04-05 19:02:06 upgrade libjavascriptcoregtk-4.0-18:amd64 2.22.6-1 2.22.7-1
2019-04-05 19:02:07 upgrade gir1.2-webkit2-4.0:amd64 2.22.6-1 2.22.7-1
2019-04-05 19:02:07 upgrade gir1.2-javascriptcoregtk-4.0:amd64 2.22.6-1 2.22.7-1
2019-04-05 19:02:07 upgrade libssh2-1:amd64 1.8.0-2 1.8.0-2.1
2019-04-05 19:02:07 upgrade thunderbird-l10n-nl:all 1:60.6.1-1~deb9u1 1:60.6.1-1
2019-04-05 19:02:08 upgrade thunderbird-l10n-ja:all 1:60.6.1-1~deb9u1 1:60.6.1-1
2019-04-05 19:02:08 upgrade lightning:all 1:60.6.1-1~deb9u1 1:60.6.1-1
2019-04-05 19:02:08 upgrade thunderbird:amd64 1:60.6.1-1~deb9u1 1:60.6.1-1
2019-04-05 19:02:12 upgrade python-tk:amd64 2.7.15-1+b1 2.7.16-2
2019-04-05 19:02:12 upgrade software-properties-common:all 0.96.20.2-1
0.96.20.2-2
2019-04-05 19:02:13 upgrade software-properties-gtk:all 0.96.20.2-1 0.96.20.2-2

```

```

2019-04-05 19:02:13 upgrade python3-software-properties:all 0.96.20.2-1
0.96.20.2-2
2019-04-05 19:02:13 upgrade squashfs-tools:amd64 1:4.3-11 1:4.3-12
2019-04-05 19:02:13 upgrade thin-provisioning-tools:amd64 0.7.6-2 0.7.6-2.1
2019-04-05 19:02:14 upgrade udhcpd:amd64 1:1.30.1-3 1:1.30.1-4
2019-04-05 19:02:14 upgrade xserver-xorg-input-libinput:amd64 0.28.2-1 0.28.2-2
2019-04-07 11:01:10 upgrade cron:amd64 3.0pl1-132 3.0pl1-133
2019-04-07 11:01:11 upgrade fonts-opensymbol:all 2:102.10+Lib06.1.5-1
2:102.10+Lib06.1.5-2
2019-04-07 11:01:11 upgrade libgsm1:amd64 1.0.18-1 1.0.18-2
2019-04-07 11:01:11 upgrade libhamcrest-java:all 1.3-7 1.3-9
2019-04-07 11:01:11 upgrade libmysofa0:amd64 0.6~dfsg0-2 0.6~dfsg0-3
2019-04-07 11:01:11 upgrade ure:amd64 6.1.5-1 6.1.5-2
2019-04-07 11:01:12 upgrade uno-libs3:amd64 6.1.5-1 6.1.5-2
2019-04-07 11:01:12 upgrade libreoffice-base-drivers:amd64 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:12 upgrade libreoffice-base:amd64 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:13 upgrade libreoffice-calc:amd64 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:14 upgrade libreoffice-impress:amd64 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:14 upgrade libreoffice-draw:amd64 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:14 upgrade libreoffice-gnome:amd64 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:14 upgrade libreoffice-gtk3:amd64 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:15 upgrade libreoffice:amd64 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:15 upgrade python3-uno:amd64 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:15 upgrade libreoffice-sdbc-postgresql:amd64 1:6.1.5-1 1:6.1.5-
2
2019-04-07 11:01:15 upgrade libreoffice-sdbc-hsqldb:amd64 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:16 upgrade libreoffice-sdbc-firebird:amd64 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:16 upgrade libreoffice-report-builder-bin:amd64 1:6.1.5-1
1:6.1.5-2
2019-04-07 11:01:16 upgrade libreoffice-math:amd64 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:16 upgrade libreoffice-help-en-us:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:17 upgrade libreoffice-help-common:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:18 upgrade libreoffice-style-tango:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:18 upgrade libreoffice-style-sifr:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:19 upgrade libreoffice-style-elementary:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:19 upgrade libreoffice-style-colibre:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:19 upgrade libreoffice-style-breeze:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:19 upgrade libreoffice-script-provider-python:all 1:6.1.5-1
1:6.1.5-2
2019-04-07 11:01:19 upgrade libreoffice-script-provider-js:all 1:6.1.5-1
1:6.1.5-2
2019-04-07 11:01:20 upgrade libreoffice-script-provider-bsh:all 1:6.1.5-1
1:6.1.5-2
2019-04-07 11:01:20 upgrade libreoffice-report-builder:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:20 upgrade libreoffice-l10n-zh-tw:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:20 upgrade libreoffice-l10n-zh-cn:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:20 upgrade libreoffice-l10n-xh:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:20 upgrade libreoffice-l10n-vi:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:21 upgrade libreoffice-l10n-uk:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:21 upgrade libreoffice-l10n-ug:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:21 upgrade libreoffice-l10n-tr:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:21 upgrade libreoffice-l10n-th:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:21 upgrade libreoffice-l10n-te:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:22 upgrade libreoffice-l10n-ta:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:23 upgrade libreoffice-l10n-sv:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:23 upgrade libreoffice-l10n-sr:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:23 upgrade libreoffice-l10n-sl:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:23 upgrade libreoffice-l10n-sk:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:23 upgrade libreoffice-l10n-si:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:24 upgrade libreoffice-l10n-ru:all 1:6.1.5-1 1:6.1.5-2
2019-04-07 11:01:24 upgrade libreoffice-l10n-ro:all 1:6.1.5-1 1:6.1.5-2

```



```
2019-04-07 11:01:50 upgrade libxml-twig-perl:all 1:3.50-1 1:3.50-1.1
2019-04-07 11:01:51 upgrade python-sip:amd64 4.19.14+dfsg-1 4.19.14+dfsg-2
2019-04-07 11:01:51 upgrade python3-sip:amd64 4.19.14+dfsg-1 4.19.14+dfsg-2
2019-04-07 11:01:51 upgrade qemu:amd64 1:3.1+dfsg-5 1:3.1+dfsg-7
=====
```

Log removed pakketten

```
=====
```

```
-- grep "remove " /var/log/dpkg.log
2019-04-01 19:55:49 remove goterminal:amd64 0.0.5 <geen>
2019-04-02 18:57:51 remove apt-listbugs:all 0.1.28 <geen>
2019-04-02 18:57:52 remove apt-listchanges:all 3.19 <geen>
2019-04-02 18:57:52 remove apt-listdifferences:all 1.20190206 <geen>
2019-04-02 18:57:52 remove unattended-upgrades:all 1.11 <geen>
2019-04-02 18:59:00 remove execline:amd64 2.5.0.1-3 <geen>
2019-04-02 18:59:00 remove s6:amd64 2.7.2.2-3 <geen>
2019-04-02 18:59:01 remove libexecline2.5:amd64 2.5.0.1-3 <geen>
2019-04-02 18:59:01 remove libre2-3:amd64 20170101+dfsg-1 <geen>
2019-04-02 18:59:01 remove libs6-2.7:amd64 2.7.2.2-3 <geen>
2019-04-02 18:59:01 remove libskarnet2.7:amd64 2.7.0.0-2 <geen>
2019-04-02 18:59:01 remove python3-debconf:all 1.5.71 <geen>
2019-04-02 18:59:01 remove python3-distro-info:all 0.21 <geen>
2019-04-02 18:59:02 remove ruby-debian:amd64 0.3.9+b8 <geen>
2019-04-02 18:59:02 remove ruby-httpclient:all 2.8.3-2 <geen>
2019-04-02 18:59:02 remove ruby-http-cookie:all 1.0.3-1 <geen>
2019-04-02 18:59:02 remove ruby-domain-name:all 0.5.20160216-2 <geen>
2019-04-02 18:59:02 remove ruby-gettext:all 3.2.9-1 <geen>
2019-04-02 18:59:02 remove ruby-locale:all 2.1.2-1 <geen>
2019-04-02 18:59:02 remove ruby-soap4r:all 2.0.5-4 <geen>
2019-04-02 18:59:03 remove ruby-text:all 1.3.0-1 <geen>
2019-04-02 18:59:03 remove ruby-unf:all 0.1.4-2 <geen>
2019-04-02 18:59:03 remove ruby-unf-ext:amd64 0.0.7.5-1 <geen>
2019-04-02 18:59:03 remove ruby-unicode:amd64 0.4.4-2+b9 <geen>
2019-04-02 18:59:03 remove ruby-xmlparser:amd64 0.7.3-3+b2 <geen>
2019-04-02 22:39:49 remove goterminal:amd64 0.0.5 <geen>
2019-04-03 21:03:23 remove goterminal:amd64 0.0.5 <geen>
2019-04-05 19:02:58 remove goterminal:amd64 0.0.5 <geen>
2019-04-05 20:33:32 remove libevent-2.0-5:amd64 2.0.21-stable-3 <geen>
2019-04-07 12:54:47 remove goterminal:amd64 0.0.5 <geen>
=====
```

Log purged pakketten

```
=====
```

```
-- grep "purge " /var/log/dpkg.log
2019-04-02 18:57:55 purge unattended-upgrades:all 1.11 <geen>
2019-04-02 18:57:56 purge apt-listbugs:all 0.1.28 <geen>
2019-04-02 18:57:57 purge apt-listchanges:all 3.19 <geen>
2019-04-02 18:57:57 purge apt-listdifferences:all 1.20190206 <geen>
2019-04-02 22:43:11 purge wicd-gtk:all 1.7.4+tb2-6 <geen>
2019-04-02 22:43:11 purge wicd-daemon:all 1.7.4+tb2-6 <geen>
2019-04-02 22:45:33 purge terminus:amd64 1.0.0-alpha.51-336 <geen>
2019-04-02 22:45:54 purge icedtea-netx:all 1.7.2-2 <geen>
2019-04-02 22:46:07 purge icedtea-netx-common:all 1.6.2-3.1 <geen>
===== end logdpkg =====
===== start journalctl_err =====
sudo journalctl -p err -b
-- Logs begin at Sun 2019-03-03 11:51:11 CET, end at Sun 2019-04-07 12:54:23
CEST. --
apr 07 12:53:13 ulefr01-inspiron gnome-session-binary[818]: Unrecoverable
failure in required component org.gnome.Shell.desktop
apr 07 12:53:27 ulefr01-inspiron /hp-systray[1541]: [1541]: error: Failed to
create /home/ulefr01/.hplip
===== end journalctl_err =====
```

```

===== start journalctl_fstrim =====
sudo journalctl -u fstrim
-- Logs begin at Sun 2019-03-03 11:51:11 CET, end at Sun 2019-04-07 12:54:24
CEST. --
mrt 04 13:27:44 ulefr01-inspiron systemd[1]: Starting Discard unused blocks...
mrt 04 13:27:53 ulefr01-inspiron fstrim[677]: /home: 30,6 GiB (32845373440
bytes) trimmed on /dev/mapper/myssd-home
mrt 04 13:27:53 ulefr01-inspiron fstrim[677]: /data: 62,7 GiB (67354943488
bytes) trimmed on /dev/mapper/myssd-data
mrt 04 13:27:53 ulefr01-inspiron fstrim[677]: /boot: 767,8 MiB (805122048 bytes)
trimmed on /dev/mapper/myssd-boot
mrt 04 13:27:53 ulefr01-inspiron fstrim[677]: /: 29,1 GiB (31275462656 bytes)
trimmed on /dev/mapper/myssd-root
mrt 04 13:27:53 ulefr01-inspiron systemd[1]: fstrim.service: Succeeded.
mrt 04 13:27:53 ulefr01-inspiron systemd[1]: Started Discard unused blocks.
-- Reboot --
mrt 11 10:55:28 ulefr01-inspiron systemd[1]: Starting Discard unused blocks...
mrt 11 10:55:38 ulefr01-inspiron fstrim[696]: /data: 62,3 GiB (66852290560
bytes) trimmed on /dev/mapper/myssd-data
mrt 11 10:55:38 ulefr01-inspiron fstrim[696]: /home: 30,5 GiB (32738013184
bytes) trimmed on /dev/mapper/myssd-home
mrt 11 10:55:38 ulefr01-inspiron fstrim[696]: /boot: 767,8 MiB (805085184 bytes)
trimmed on /dev/mapper/myssd-boot
mrt 11 10:55:38 ulefr01-inspiron fstrim[696]: /: 28,4 GiB (30536228864 bytes)
trimmed on /dev/mapper/myssd-root
mrt 11 10:55:38 ulefr01-inspiron systemd[1]: fstrim.service: Succeeded.
mrt 11 10:55:38 ulefr01-inspiron systemd[1]: Started Discard unused blocks.
-- Reboot --
apr 01 07:19:07 ulefr01-inspiron systemd[1]: Starting Discard unused blocks on
filesystems from /etc/fstab...
apr 01 07:19:23 ulefr01-inspiron fstrim[653]: /home: 30,1 GiB (32362504192
bytes) trimmed on /dev/mapper/myssd-home
apr 01 07:19:23 ulefr01-inspiron fstrim[653]: /data: 62,2 GiB (66752819200
bytes) trimmed on /dev/mapper/myssd-data
apr 01 07:19:23 ulefr01-inspiron fstrim[653]: /boot: 767 MiB (804282368 bytes)
trimmed on /dev/mapper/myssd-boot
apr 01 07:19:23 ulefr01-inspiron fstrim[653]: /: 28,3 GiB (30396489728 bytes)
trimmed on /dev/mapper/myssd-root
apr 01 07:19:23 ulefr01-inspiron systemd[1]: fstrim.service: Succeeded.
apr 01 07:19:23 ulefr01-inspiron systemd[1]: Started Discard unused blocks on
filesystems from /etc/fstab.
===== end journalctl_fstrim =====

```